



AbileneMachine®
Ag Replacement Parts

LED LIGHTING







AbileneMachine.com



My Shed Feature on AbileneMachine.com

Narrow down your parts search specifically to your equipment

Select the make, equipment and model of your machine in the dropdown menus located at the top of the home page. Then select a category or select "Any Category" to search all. Click the "Go" button.

SELECT YOUR EQUIPMENT  Search for parts 



Make*  Equipment Type* 





Models*  Categories  **GO**




ADD EQUIPMENT

To access your saved equipment
[Sign in](#)



SELECT YOUR EQUIPMENT  Search for parts 



Make*  John Deere  Equipment*  Tractor 

Model*  4440  Categories  **GO**



ADD EQUIPMENT

To access your saved equipment
[Sign in](#)

With your equipment selected, enter the product you are searching for (or part number if you have it). Suggested results will be displayed, or press enter to go to a list of all product results for your machine.

John Deere Tractor 4440  What part do you need today? 



John Deere Tractor 4440  **Seat Assembly** 


SUGGESTIONS


seat assembly
seat and suspension assembly
seat assembly with
grammer seat assembly
grammer seat and suspension assembly


CATEGORY


Seat & Suspension Assemblies
Seat Assemblies


PRODUCTS [VIEW ALL](#)


 **Grammer® Tractor Seat Assembly - Brown Matrix Fabric (AMSS11055)**
For Grammer Suspensions
OEM X-Reference number: undefined
\$ 847.00

 **Seat and Suspension Assembly (AMSS8093)**
Case®
Tractors - 1190, 1194, 1290, 1294, 1390, 1394, 1490, 1494, 1594, 1690...
OEM X-Reference number: 30-3050890, 30-3053350, 44907538, 533813M96, 81874576, 83982816, E9NN400AA, E9NN400AB99M, K307863
\$ 92.00
★★★★★


 **Grammer® Tractor Seat and Suspension Assembly for John Deere® (AMSS10078)**
John Deere® Tractors without IVT™ Transmission - 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7630, 7700, 7710, 7720, 7730, 7800, 7810, 7820, 7830, 7920, 7930
OEM X-Reference number: undefined
\$ 1,470.00

MAKE 


☒ JOHN DEERE 

EQUIPMENT TYPE 


☐ BACKHOE-LOADER 1
☐ COMBINE 3
☐ COTTON HARVESTING 3
☐ SPRAYERS 3
☐ SWATHER 1
...

CATEGORY 


☐ SEAT & SUSPENSION ASSEMBLIES 6
☐ SEAT ASSEMBLIES 7
☐ SHOCK ABSORBERS 1



MODELS 


☐ 1020 2
☐ 1025R UTILITY 2
☐ 1025R UTILITY 2
☐ 1030 1
☐ 1040 1
...

CONDITION 


☐ NEW 12
☐ REMANUFACTURED 2

JOHN DEERE TRACTOR 4440  [Close All](#)


SORT BY: RELEVANCE  **14 RESULTS** [ITEMS PER PAGE: 12](#) 

 **SEAT ASSEMBLY, BROWN FABRIC FOR JOHN DEERE® TRACTOR (AMJD4240BRF)** **\$ 710.50** **ADD TO CART**

John Deere®
Tractors - 2010, 2350, 2355, 2510, 2520, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3010, 3020, 3055, 3140, 3150, 3155, 3255, 4000, 4010,

 **SEAT ASSEMBLY, YELLOW VINYL FOR JOHN DEERE® TRACTOR, COMBINE AND SPRAYER (AMSS7896)** **\$ 453.50** **ADD TO CART**

John Deere®
Tractors - 2955, 3055, 3150, 3155, 3255, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4430, 4440, 4450, 4455, 4555, 4560, 4630,

 **DELUXE SEAT ASSEMBLY, BLACK FABRIC (AMSS72899)** **\$ 741.00** **ADD TO CART**



John Deere®
Tractors - 2010, 2350, 2355, 2510, 2520, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3010, 3020, 3055, 3140, 3150, 3155, 3255, 4000, 4010,

With the My Shed feature, your equipment selections can now be saved to your account to make future searching convenient and easy!


Once you create an account to access "My Shed," your equipment can be saved and you can also view past order history. This makes yearly maintenance easier and faster when it comes to getting the parts you need.

To create an account, select the Account icon to the right of the search bar and select "Create an account."

Follow the next screen to enter your information and create the account. If you made an equipment selection in the parts search, it will automatically be added to "My Shed" and will also be viewable on your Account Dashboard. Additional equipment can be added by clicking the "Add Equipment" button from either screen (prompts the dropdown menu at the top to open again) or by going directly to the parts search at the top of the page and making a new selection. When you hit "Go," this selection is automatically added to your shed.



Quickly switch between equipment in your Shed by clicking the dropdown menu at the top of the page and selecting between machines. The page will reload to that selection and is ready to search for the products you need.



Abilene Machine LLC

Abilene, Kansas
Bishopville, South Carolina
Sioux Falls, South Dakota
Billings, Montana







785-670-6741 | AbileneMachine.com

Table of Contents

Allis Chalmers®—Tractor	6
Lighting	6
Case®—Industrial/Construction	23
Lighting	23
Case®—Tractor	18
Lighting	18
Case IH®—Combine	39
Lighting	39
Case IH®—Tractor	24
Lighting	24
Caterpillar®/Challenger®	49
Lighting	49
Fiat®	54
Lighting	54
Ford®/New Holland®—Tractor	8
Lighting	58
Gleaner®—Combine	14
Lighting	14
International®—Tractor	73
Lighting	73
John Deere®—Combine	102
Lighting	102
John Deere®—Industrial/Construction	117
Lighting	117
John Deere®—Tractor	80
Lighting	80
Kubota®—Tractor	119
Lighting	119
Massey Ferguson®—Combine	130
Lighting	130
Massey Ferguson®—Tractor	123
Lighting	123
New Holland®—Combine	67
Lighting	67
Skid Steer Parts	2
Lighting	2
White®\Oliver®\M&M®—Combine	141
Lighting	141
White®\Oliver®\M&M®—Tractor	135
Lighting	135

Skid Steer Parts

Lighting

Description	Part Number	Retail Price	Core
Application: Bobcat® 450, 453, 463, 553, 653, 751, 753, 763, 773			
 <p>LED Headlight Conversion Kit Includes (2) 6" x 3.50" x 3" Rectangle Floodlights Each Light is 7200 Lumens, 80 Watts, 6.60 Amps For 12 Volt to 24 Volt Systems Will Require to Splice into Original Wiring Harness Includes (2) LED Lights, (2) Mounting Plates and Stainless Steel Hardware Replaces 6649478</p>	AMTL5015	\$ 215.00	
Application: Bobcat® 751, 753, 763, 773, 863, 864, 873, 963, A220, A300, S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, Track Skid Steer Loaders; T110, T140, T180, T190, T200, T250, T300, T320			
 <p>LED Headlight Triangle Light 2500 Lumens, 30 Watts, 2.50 Amps Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt System Plug-and-Play Installation Replaces 6718042, 6718043, 7259523, 7259524</p>	AMTL950	\$ 115.00	
Application: Bobcat® A770, S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850, Track Skid Steer Loaders: T450, T550, T590, T595, T630, T650, T740, T750, T770, T870			
 <p>LED Headlight, Right Hand Floodlight/Spotlight 5000 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Aluminum Housing and Durable Polycarbonate Lens Plug-and-Play for Direct Replacement</p>	AMTL970R	\$ 158.00	
 <p>LED Headlight, Left Hand Flood/Spotlight 5000 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Aluminum Housing and Durable Polycarbonate Lens Plug-and-Play for Direct Replacement</p>	AMTL970L	\$ 158.00	
 <p>LED Headlight, Right Hand 5000 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems</p>	AM7251340	\$ 120.00	
 <p>LED Headlight, Left Hand 5000 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems</p>	AM7251341	\$ 120.00	

Skid Steer Parts

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Bobcat® 553, 751, 753, 763, 773, 853, 863, 864, 873, 883, 943, 963, 7753, A250, A300, A770, S100, S130, S150, S160, S175, S185, S205, S250, S450, S510, S530, S550, S570, S590, S595, S630, S650, S740, S750, S770, S850, T110, T140, T180, T190, T250, T300, T320, T450, T550, T590, T595, T630, T650, T740, T750, T770, T870, New Holland® L465, L565, L865, LX465, LX485, LX565, LX665, LX865, LX885, John Deere® 4475, 5575, 6675, 7775, 8875			
 <p>LED Floodlight 4.90" x 3" x 2.50" Rectangle Light Floodlight Pattern 2000 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Fits into Original Housing, Plug-and-Play Replaces 6661353</p>	AMTL650	\$ 78.00	
 <p>LED Headlight 4.90" x 3" x 2.50" Rectangle Light Floodlight Pattern 2000 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Fits into Original Housing, Plug-and-Play Replace 6661353</p>	AM9829523	\$ 60.00	
Application: Case® 40XT, 60XT, 70XT, 75XT, 85XT, 90XT, 95XT, 410, 420, 430, 435, 440, 445, 450, 465, Track Skid Steer Loaders: 420CT, 440CT, 445CT, 450CT, New Holland® L120, L125, L140, L150, L160, L170, L175, L180, L185, L190, L250, L255, L250, L255, L465, L565, L865, LS120, LS125, LS140, LS160, LS170, LS180, LS180.B, LS185.B, LS190, LS190.B, Track Skid Steer Loaders: C175, C185, C190, LT185.B, LT190.B, LX465, LX485, LX565, LX665, LX885, LX985, John Deere® 240, 250, 260, 270, 313, 315, 317, 320, 325, 328, 332, Track Skid Steer Loaders: CT315, CT322, CT332			
 <p>LED Headlight w/ Clip Upper Front Cab and Rear Work/Reverse Mount 3" x 5" x 3" Rectangle Light 200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 222004A2, 9844417, 9844418, 86501306, 86533428, KV13708, KV13709, KV26918</p>	AMTL750	\$ 84.00	
 <p>LED Headlight w/ Clip Upper Front Cab and Rear Work/Reverse Mount 3" x 5" x 3" Rectangle Light 200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 222004A2, 9844417, 9844418, 86501306, 86533428, KV13708, KV13709, KV26918</p>	AMAT345169	\$ 65.00	
Application: Case® SR130, SR130B, SR150, SR150B, SR160, SR175, SR175B, SR200, SR200B, SR210, SR210B, SR220, SR220B, SR240, SR240B, SR250, SR250B, SR270, SR270B, SV185, SV185B, SV250, SV250B, SV280, SV280B, SV300, SV300B, SV340, SV340B, Track Skid Steer Loaders: TR270, TR270B, TR310, TR310B, TR320, TR320B, TR340, TR340B, TV370, TV370B, TV380, TV380B, TV450, TV450B, New Holland® L213, L215, L216, L218, L220, L221, L225, L228, L234, L313, L315, L316, L318, L320, L321, L323, L325, L328, L330, L334, Track Skid Steer Loaders: C232, C234, C237, C227, C238, C245, C327, C332, C345			
 <p>LED Headlight 4.80" x 3.25" x 3" Floodlight 2100 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Fits into Original Housing, Plug-and-Play Replaces 84306271, 84306337</p>	AMTL780	\$ 97.00	
 <p>LED Headlight 4.80" x 3.25" x 3" Floodlight 2100 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Fits into Original Housing, Plug-and-Play Replaces 84306271, 84306337</p>	AM84306268	\$ 87.00	

Skid Steer Parts





Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Case® Track Skid Steer Loaders: TV370, TV380, New Holland®: C227, C232, C234, C237, C238, C245, C327, C332, C334, C337, C338, C345, L213, L215, L216, L218, L220, L221, L223, L225, L228, L230, L234, L313, L315, L316, L318, L320, L321, L323, L325, L328, L330, L334			
 LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation	AMTL6020	\$ 115.00	
 LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation	AMX34172	\$ 103.00	
Application: Kubota® SSV65, SSV65C, SSV65P, SSV65PC, SSV75, SSV75C, SSV75P, SSV75PC			
 LED Headlight, Right Hand Floodlight Pattern 8" x 4.84" x 4.48" 4000 Lumens, 56 Watts, 4.66 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware Replaces V1311-53520	AMTL900R	\$ 150.00	
 LED Headlight, Left Hand Floodlight Pattern 8" x 4.84" x 4.48" 4000 Lumens, 56 Watts, 4.66 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware	AMTL900L	\$ 150.00	
LED Headlight, Left Hand Floodlight Pattern 8" x 4.84" x 4.48" 6000 Lumens, 75 Watts, 6.25 Amps For 10 Volt to 30 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware	AMV1311-53510	\$ 135.00	
Application: Kubota® SVL65-2, SVL65-2C, SVL75, SVL75-2, SVL75-2C, SVL75C, SVL90, SVL90-2, SVL90-2C, SVL90C, SVL95-2S, SVL95-2SC			
 LED Headlight 6" x 3" x 2.50" Rectangle Light 300 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes Connector and Stainless Steel Hardware	AMTL790	\$ 98.00	
 LED Headlight 6" x 3" x 2.50" Rectangle Light 300 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes Connector and Stainless Steel Hardware	AMV0511-53510	\$ 88.00	
Application: Universal Equipment			
 LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	



Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Skid Steer Parts

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: John Deere® 240				
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels	AMTL2060	\$ 115.00	
	Headlight Sealed Beam, 12 Volt, 2-Wire	AMRE25126	\$ 55.00	
				
	LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
Application: Universal Skid Steer Loaders				
	Blue LED Warning Light Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware	AMTLFL20	\$ 107.00	

Lighting

Description		Part Number	Retail Price	Core
Application: 9130, 9150, 9170, 9190 Replaces 72162190		LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector and Adpater, Plug-and-Play	AMTL9020	\$ 114.00
		LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play	AMRE46298	\$ 102.00

Allis Chalmers®—Tractor








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.





Allis Chalmers®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 160, 170, 175, 180, 185, 190, 200, 210, 6040, 6060, 6070, 6080, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080			
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	
Application: 220, 6060, 6070, 6080, 8010, 8030, 8050, 8070, 4WD: 4W-305 Replaces 700705183, 700705184, 20-1730T91			
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4.16 Amps For 12 Volt to 24 Volt Systems</p>	AMTL175F	\$ 135.00	
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4 Amps For 12 Volt to 24 Volt Systems</p>	AM245897C91	\$ 121.00	





Allis Chalmers®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 9435, 9455, 9635, 9655, 9675, 9695, 9755, 9765, 9775, 9785, 9815, DT160, DT180, DT200, DT225			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AMTL6040	\$ 133.00	
<p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AM72514546	\$ 119.00	
Application: 160, 170, 175, 180, 185, 190, 190XT, 200, 210, 6040, 6060, 6070, 6080, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080 Replaces 267185, 70249146, 70249147, 70267185			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels</p>	AMTL2060	\$ 115.00	
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
 <p>Headlight Sealed Beam, 12 Volt, 2-Wire</p>	AMRE25126	\$ 55.00	





Allis Chalmers®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 160, 170, 175, 180, 185, 190, 200, 210, 6040, 6060, 6070, 6080, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080			
 <p> LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces 70269614 </p>	AMTL2080	\$ 108.00	
 <p> LED Trapezoid Light Cab and Rear Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces 70269614 </p>	AMAR85260	\$ 97.00	
 <p> LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware </p>	AMRE19079	\$ 106.00	
Application: Universal Equipment			
 <p> LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch </p>	AMTL1200	\$ 215.00	












Allis Chalmers®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 160, 170, 175, 180, 185, 190, 200, 210, 440, 5040, 5050, 6040, 6060, 6070, 6080, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060, 7080, D19			
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL2	\$ 67.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX1910149	\$ 60.30	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL3	\$ 76.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX33126	\$ 68.00	

Allis Chalmers®—Tractor










Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
       	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
 	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
Application: 9130, 9150, 9170, 9190				
	LED Tail Light Oval Light, Red Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces RE39223	AMAR78825	\$ 46.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Allis Chalmers®—Tractor

Lighting (...continued)










Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	
Application:	B, C, CA, WC, WD, WD45, WF Replaces 15199A, 70227233, TO7524, VTA463			
	Light Switch	AM70208197	\$ 18.00	

Lighting

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Gleaner®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Gleaner®—Combine


Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Gleaner®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
		AMTL2460	\$ 89.00	
LED Magnetic Work Light				
All-Position Light				
3.25" Square Floodlight				
900 Lumens				
3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern				
Magnetic Base				
Includes Lithium Ion Battery, Cigarette Lighter and DC Charger				







Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Lighting

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems Replaces 47682629, 47682620, 84236850, 87555142, 87584890	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces D70115, D71409, A11280	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces A11280, D70115, D71409	AMRE336111	\$ 45.00	








Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
Application:	Most Models			
	LED Wide Floodlight, Compact 4.25" x 4.50" x 3" Round Light 6900 Lumens, 50 Watts, 4.10 Amps 90° Flood Pattern For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500WF	\$ 135.00	
Application:	1294, 1394, 1494, 1594, 1690, 1896, 2090, 2094, 2096, 2290, 2294, 2390, 2394, 2590, 2594, 2870, 3294, 3394, 3594, 4490, 4494, 4690, 4694, 4890, 4894, 4994			
	LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1	AMTL6090	\$ 114.00	
	LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1	AM87367623	\$ 85.00	

Case®—Tractor










Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: (730, 830, 930, 1030 - Comfort King), 770, 870, 970, 1070, 1170, 1175, 1270, 1370, 1470, 1570, 2090, 2094, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2870, 3294, 3394, 3594, 4490, 4494, 4690, 4694, 4890, 4894, 4994 Replaces A32536, A59701, A64498			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels</p>	AMTL2060	\$ 115.00	
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
 <p>Headlight Sealed Beam, 12 Volt, 2-Wire</p>	AMRE25126	\$ 55.00	
Application: 1190, 1290, 1390, 1490, 1690, 2090, 2290, 2390, 2590, 4490, 4690, 4890			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111</p>	AMTL3015	\$ 55.00	
 <p>LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces A145495, 131368C92</p>	AMTL2080	\$ 108.00	
 <p>LED Trapezoid Light Cab and Rear Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces A145495, 131368C92</p>	AMAR85260	\$ 97.00	
 <p>LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMRE19079	\$ 106.00	







Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	

Lighting (...continued)







Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	
Application:	(VA, VAC, VAH, VAI, VAO BSN 5060679) Replaces AB2687R, AF687R, TO7524, VTA463			
	Light Switch	AM70208197	\$ 18.00	

Lighting

Description	Part Number	Retail Price	Core
Application: Backhoe-Loaders: 580K, 580 Super K, 590, Crawlers/Dozers: 650G, 650H, 750H, 850H, 1150H Replaces 92263C1, 178345A1, 180097A1, 275335A1, 305256A1, 1983210C1, 87435762, 87773385			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
Application: Backhoe-Loaders: 480B, 480C, 580B Replaces A32536, A59701, A64498			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels</p>	AMTL2060	\$ 115.00	
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
 <p>Headlight Sealed Beam, 12 Volt, 2-Wire</p>	AMRE25126	\$ 55.00	
Application: Backhoe-Loaders: 580M, 580 Super M, 590 Super M			
 <p>LED Corner Light w/ Tail Light, Right Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-In Resistor (12 Watts) Tail Light: Red Lens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 357540A1</p>	AMTL6145R	\$ 135.00	
 <p>LED Corner Light w/ Tail Light, Left Hand Corner Light Specifications: Amber Lens, 17 Watts, 2.40 Amps, Built-In Resistor (12 Watts) Tail Light: Red Lens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 357541A1</p>	AMTL6145L	\$ 135.00	






Case IH®—Tractor

Lighting

Description	Part Number	Retail Price	Core
Application: 3220, 3230, 4210, 4230, 4240, 5120, 5130, 5140, 5220, 5230, 5240, 5250  <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights*, (6) Fender Mount LED Floodlights***, and Stainless Steel Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *4000 Lumens, 50 Watts, 4.16 Amps **3600 Lumens, 40 Watts, 3.33 Amps</p>	AMTLCASEKIT9	\$ 862.00	
Application: 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950  <p>LED Light Kit Includes Right and Left Hand LED Headlights*, (2) Side Mount LED Floodlights** and (6) Upper Front Cab/Rear Fender Mount LED Floodlights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *7000 Lumens, 100 Watts, 8.30 Amps **3600 Lumens, 40 Watts, 3.30 Amps</p>	AMTLCASEKIT1	\$ 1,155.00	
 <p>LED Light Kit Includes Right and Left Hand LED Headlights*, (2) Side Mount LED Floodlights** and (6) Upper Front Cab/Rear Fender Mount LED Floodlights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *7000 Lumens, 100 Watts, 8.30 Amps **3600 Lumens, 40 Watts, 3.30 Amps</p>	AMX34164	\$ 1,039.00	
Application: 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9240, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380, 9390, Steiger®: Bearcat 1000, Cougar 1000, CR1225, CR1280, KR1225, KR1280, Panther 1000, Puma 1000, Wildcat 1000  <p>LED Light Kit Requires the installation of connector onto wiring harness, pigtail connectors are provided Includes (2) Hi/Lo Beam LED Headlights*, (8) LED Work Lights** and (8) Mating Deutsch Pigtails for Work Lights For 12 Volt to 24 Volt Systems *3500 Lumens, 60 Watts, 5 Amps **3600 Lumens 40 Watts, 3.33 Amps</p>	AMTLCASEKIT6	\$ 1,005.00	
 <p>LED Light Kit Requires the installation of connector onto wiring harness, pigtail connectors are provided Includes (2) Hi/Lo Beam LED Headlights*, (8) LED Work Lights** and (8) Mating Deutsch Pigtails for Work Lights For 12 Volt to 24 Volt Systems *3500 Lumens, 60 Watts, 5 Amps **3600 Lumens, 40 Watts, 3.33 Amps</p>	AMX34175	\$ 904.00	
Application: MX110, MX120, MX135, MX150, MX170  <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights*, (4) Bottom Mount LED Floodlights**, (2) Fender Mount LED Floodlights**, (2) Side Mount LED Floodlights** and Stainless Steel Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3600 Lumens, 40 Watts, 3.30-3.33 Amps **6000 Lumens, 80 Watts, 6.60 Amps</p>	AMTLCASEKIT10	\$ 1,124.00	

Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: MX180, MX200, MX210, MX220, MX230, MX240, MX255, MX270, MX285			
 <p>LED Light Kit Includes LED Center Headlight**, Right Hand and Left Hand LED Headlights***, Right Hand and Left Hand LED Corner Lights w/ Work Light****, Right Hand and Left Hand LED Corner Lights****, (2) Bottom Mount LED Floodlights*, (2) Fender Mount LED Floodlights*, (2) Side Mount LED Floodlights* and Stainless Steel Hardware For 12 to 24 Volt Systems Plug-and-Play Installation Side Mount LED Floodlights may require splicing into Wire Harness *3600 Lumens, 40 Watts, 3.30-3.33 Amps **7200 Lumens, 108 Watts, 9 Amps ***5300 Lumens, 70 Watts, 5.80 Amps ****3000 Lumens, 30 Watts, 3.30 Amps *****17 Watts, 2.40 Amps</p>	AMX34157	\$ 1,450.00	
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215, 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380			
 <p>LED Light Kit Includes (3) LED Front Headlights**, (2) LED Headlight Bulbs, Right Hand and Left Hand LED Corner Lights w/ Work Light***, Right Hand and Left Hand LED Corner Lights****, (2) Bottom Mount LED Floodlights*, (2) Fender Mount LED Floodlights*, (2) Side Mount LED Floodlights* For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Side Mount LED Floodlights May Require Splicing into Wire Harness *3600 Lumens, 40 Watts, 3.30-3.33 Amps **3200 Lumens, 32 Watts, 2.60 Amps ***3000 Lumens, 30 Watts, 3.30 Amps ****17 Watts, 2.40 Amps</p>	AMTLCASEKIT4	\$ 1,326.00	
 <p>LED Light Kit Includes (3) LED Front Headlights**, (2) LED Headlight Bulbs, Right Hand and Left Hand LED Corner Lights w/ Work Light***, Right Hand and Left Hand LED Corner Lights****, (2) Bottom Mount LED Floodlights*, (2) Fender Mount LED Floodlights*, (2) Side Mount LED Floodlights* Plug-and-Play for Direct Replacement Side Mount LED Floodlights May Require Splicing into Wire Harness *3600 Lumens, 40 Watts, 3.30-3.33 Amps **3200 Lumens, 32 Watts, 2.60 Amps ***3000 Lumens, 30 Watts, 3.30 Amps ****17 Watts, 2.40 Amps</p>	AMX34156	\$ 1,193.00	
 <p>LED Light Kit w/ Upgraded Headlights Includes LED Center Headlight*, Right and Left Hand LED Headlights**, Right and Left Hand LED Front Corner Lights w/ Work Light***, Right and Left Hand LED Rear Corner Lights***, (2) Fender Mount LED Floodlights****, (2) Side Mount LED Floodlights****, (2) Upper Rear Cab Mount LED Floodlight**** For 12 to 24 Volt Systems Plug-and-Play for Direct Replacement Side Mount LED Floodlights May Require Splicing into Wire Harness *15000 Lumens, 150 Watts, 2.50 Amps **1200 Lumens, 30 Watts, 2.50 Amps ***3300 Lumens, 30 Watts, 3.30 Amps ****3600 Lumens, 40 Watts, 3.30-3.33 Amps</p>	AMTLCASEKIT14	\$ 2,060.00	
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215, 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380, Quadtrac®: 370, 400, 420, Steiger®: 350, 370, 400, 420			
 <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights* and LED Center Headlight** Corner Headlights features a DOT and E-Marked light pattern, specifically designed for road travel For 12 Volt to 24 Volt Systems Plug-and-Play Installation *1200 Lumens **15000 Lumens, 150 Watts</p>	AMTLCASEKIT11	\$ 1,218.00	

Case IH®—Tractor




Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: STX275, STX280, STX325, STX330, STX375, STX380, STX425, STX430, STX440, STX450, STX480, STX485, STX500, STX530, Steiger®: 330, 335, 380, 385, 430, 435, 480, 485, 530, 535			
 <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights*, LED Center Headlight**, (10) LED Work Lights on Fenders and Cab*** and Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *5300 Lumens, 70 Watts, 5.80 Amps **7200 Lumens, 108 Watts, 9 Amps ***3600 Lumens, 40 Watts, 3.30 Amps</p>	AMTLCASEKIT7	\$ 1,508.00	
 <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights*, LED Center Headlight**, (10) LED Work Lights on Fenders and Cab*** and Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *5300 Lumens, 70 Watts, 5.80 Amps **7200 Lumens, 108 Watts, 9 Amps ***3600 Lumens, 40 Watts, 3.30 Amps</p>	AMX34176	\$ 1,357.00	
Application: Quadtrac®: 450, 470, 500, 540, 550, 580, 600, 620, Steiger®: 450, 470, 500, 540, 550, 580, 600			
 <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights* and (2) LED Center Headlights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *1200 Lumens, 150 Watts **15000 Lumens, 150 Watts</p>	AMTLCASEKIT13	\$ 1,661.00	
Application: CS80, CS85, CS90, CS95, CS100, CS105, CVX140, CVX150, CVX160, CVX175, CVX195, MXU100, MXU110, MXU125, MXU130, MXU135, Maxxum®: 110, 115, 120, 125, 130, 140, Puma®: 125, 130, 140, 145, 150, 155, 160, 165, 170, 180, 185, 195, 200, 210, 215, 225, 230			
 <p>LED Upper Cab Light 6" x 3" x 2.50" Rectangle Light 3000 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Due to cab variations, please verify correct part number before ordering</p>	AMTL7040	\$ 102.00	
 <p>LED Upper Cab Light 6" x 3" x 2.50" Rectangle Light 3000 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Due to cab variations, please verify correct part number before ordering</p>	AM82031078	\$ 85.00	
Application: 395, 495, 595, 695, 895, 995, 3220, 3230, 4210, 4230, 4240, 5120, 5130, 5140, 5220, 5230, 5240, 5250, C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90, CX100			
 <p>LED Headlight, Right Hand Rectangle Light 4000 Lumens, 50 Watts, 4.16 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Includes Stainless Steel Hardware Replaces 196482C2</p>	AMTL5140R	\$ 197.00	
 <p>LED Headlight, Left Hand Rectangle Light 4000 Lumens, 50 Watts, 4.16 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Includes Stainless Steel Hardware Replaces 196481C2</p>	AMTL5140L	\$ 197.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950			
 <p>LED Headlight, Right Hand Corner Mount 10" x 5" x 5.50" Floodlight/Spotlight Combo Light 7000 Lumens, 100 Watts, 8.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces 91972C2</p>	AMTL7140R	\$ 203.00	
 <p>LED Headlight, Left Hand Corner Mount 10" x 5" x 5.50" Floodlight/Spotlight Combo Light 7000 Lumens, 100 Watts, 8.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces 91971C2</p>	AMTL7140L	\$ 203.00	
 <p>LED Headlight, Right Hand Corner Mount 10" x 5" x 5.50" Floodlight/Spotlight Combo Light 7000 Lumens, 100 Watts, 8.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware</p>	AM91972C2	\$ 165.00	
 <p>LED Headlight, Left Hand Corner Mount 10" x 5" x 5.50" Floodlight/Spotlight Combo Light 7000 Lumens, 100 Watts, 8.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware</p>	AM91971C2	\$ 165.00	
Application: 3220 ASN 11070000, 3230, 4210, 4230, 4240, 5120, 5130, 5140, 5220, 5230, 5240, 5250, C50, C60, C70, C80, C90, C100, CX50, CX60, CX70, CX80, CX90, CX100			
 <p>Headlight, Right Hand Includes Hardware Replaces 1964579C2, 1964881C1</p>	AM1964881C2	\$ 177.00	
 <p>Headlight, Left Hand Includes Hardware Replaces 1964580C2, 1964882C1</p>	AM1964882C2	\$ 177.00	
Application: CX70, CX80, CX90, CX100, JX70U, JX80U, JX90U, JX100U, JX1060C, JX1070C, JX1075C, JX1080U, JX1085C, JX1090U, JX1095C, JX1100U, MX180, MX200, MX210, MX220, MX230, MX240, MX255, MX270, MX285, MXM120, MXM130, MXM140, MXM155, MXM175, MXM190, MXU100, MXU110, MXU115, MXU125, MXU130, MXU135, STX275, STX280, STX325, STX330, STX375, STX380, STX425, STX430, STX440, STX450, STX480, STX485, STX500, STX530, Farmall®: 85C, 85U, 95C, 95U, 105U, Steiger®: 280, 330, 335, 350, 380, 385, 430, 435, 480, 485, 530, 535			
 <p>LED Headlight, Right Hand 5300 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 232450A2, 365841A1, 87429390</p>	AM232448A2	\$ 155.00	
 <p>LED Headlight, Left Hand 5300 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 232451A2, 365842A1, 87429389</p>	AM232449A1	\$ 155.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: MX100, MX110, MX120, MX135, MX150, MX170			
 <p>LED Headlight, Right Hand 6000 Lumens, 80 Watts, 6.60 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Mounting Hardware Replaces 178318A1, 178320A1, 148322A1</p>	AMTL6200R	\$ 203.00	
 <p>LED Headlight, Left Hand Flood/Spotlight Combo 6000 Lumens, 80 Watts, 6.60 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Mounting Hardware Replaces 178311A1, 178313A1, 178315A1, 178317A1, 178319A1, 178321A1</p>	AMTL6200L	\$ 203.00	
Application: MX180, MX200, MX210, MX220, MX230, MX240, MX255, MX270, MX285, STX275, STX280, STX325, STX330, STX375, STX380, STX425, STX430, STX440, STX450, STX480, STX500, STX530, Steiger®: 280, 330, 335, 380, 385, 430, 435, 480, 485, 530, 535			
 <p>LED Center Headlight 10.50" x 4.25" Rectangle Light 7200 Lumens, 108 Watts, 9 Amps For 12 Volt to 24 Volt Systems Replaces 232454A2, 232455A2</p>	AMTL6010	\$ 189.00	
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215, 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380			
 <p>LED Headlight, Right Hand 1200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM87309030	\$ 340.00	
 <p>LED Headlight, Left Hand 1200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM87309029	\$ 340.00	
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215, 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380, Puma®: 150, 165, 170, 180, 185, 195, 200, 210, 215, 220, 225, 230, 240, Quadtrac®: 370, 400, 420, 450, 470, 500, 540, 550, 580, 600, 620, Steiger®: 330, 335, 350, 370, 380, 385, 400, 450, 470, 485, 500, 530QT, 535, 540, 550, 580, 600, 620 Replaces 87328621, 87539115			
 <p>LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation</p>	AMTL6020	\$ 115.00	
 <p>LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation</p>	AMX34172	\$ 103.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Tractor









Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215, 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380, Quadtrac®: 370, 400, 420, 450, 470, 500, 540, 550, 580, 600, 620, Steiger®: 350, 370, 400, 420, 450, 470, 500, 540, 550, 580, 600			
 LED Center Headlight 15000 Lumens, 150 Watts For 12 Volt to 24 Volt Systems Replaces current OEM Lights and Housing, Plug-and-Play Replaces 87455676, 87455677, 87308895	AMTL6150	\$ 506.00	
Application: CX70, CX80, CX90, CX100, JX70U, JX80U, JX90U, JX100U, JX1060C, JX1070C, JX1070U, JX1075C, JX1080U, JX1085C, JX1090U, JX1095C, JX1100U, MX180, MX200, MX210, MX220, MX230, MX240, MX255, MX270, MX285, MXM120, MXM130, MXM140, MXM155, MXM175, MXM190, MXU100, MXU110, MXU115, MXU125, MXU130, MXU135, STX275, STX280, STX325, STX330, STX375, STX380, STX425, STX430, STX440, STX450, STX480, STX485, STX500, STX530, Farmall®: 85C, 85U, 95C, 95U, 105U, Steiger®: 280, 330, 335, 350, 380, 385, 430, 435, 480, 485, 530, 535			
 LED Corner Headlight, Right Hand Floodlight/Spotlight Combo Includes Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement 5300 Lumens, 70 Watts, 5.80 Amps Replaces 232448A2, 232450A2, 365841A1, 87429390	AMTL6110R	\$ 203.00	
 LED Corner Headlight, Left Hand Floodlight/Spotlight Combo Includes Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement 5300 Lumens, 70 Watts, 5.80 Amps Replaces 232449A2, 232451A2, 365842A1, 87429389	AMTL6110L	\$ 203.00	
Application: MX215, MX245, MX275, MX305, Magnum®: 180, 190, 200, 210, 215 220, 225, 235, 240, 245, 250, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380, Quadtrac®: 370, 400, 420, 450, 470, 500, 540, 550, 580, 600, 620			
 LED Corner Headlight, Right Hand Driving Pattern 14 7/8" x 9 15/16" x 7 7/32" 1200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Features DOT and E-Marked light pattern and Specifically designed for road travel Replaces 87309030	AMTL6160R	\$ 375.00	
 LED Corner Headlight, Left Hand Driving Pattern 14 7/8" x 9 15/16" x 7 7/32" 1200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Features DOT and E-Marked light pattern and Specifically designed for road travel Replaces 87309029	AMTL6160L	\$ 375.00	
Application: Universal Equipment			
 LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
 LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems Replaces 47682629, 47682620, 84236850, 87555142, 87584890	AMX34171	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Tractor






Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket Replaces 84236850, 87555142, 87584890	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces 131203C1, 373662R1, 373662R91	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces 131203C1, 373662R1, 373662R91	AMRE336111	\$ 45.00	
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 5120, 5130, 5140, 5150, 5220, 5230, 5240, 5250, 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950, 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9250, 9270, 9280, (CX50, CX60, CX70, CX80, CX90, CX100, MX100, MX100C, MX110, MX120, MX135, MX150, MX170 - w/ Diesel), MX80C, MX90C, MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305, STX275, (STX280, STX330, STX380, STX430, STX480, STX530 SN Z6F100023-Z6F105001), STX285, STX325, STX375, (STX425, STX450, STX500 ASN JEE0099501), STX440, STX450, STX485, Magnum®: 215, 245, 255, 260, 275, 305, 335, Quadtrac®: 370, 420, 450, 470, 500, 535, 540, 550, 580, 600, 620, Steiger®: 280, 330, 335, 350, 370, 380, 385, 400, 420, 430, 435, 450, 470, 480, 485, 500, 530, 535, 540, 550, 580, 600, 620 Replaces 92263C1, 178345A1, 180097A1, 275335A1, 305256A1, 1983210C1, 87435762, 87773385			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AM92269C1	\$ 95.00	
Application: 5130, 5140, 5210, 5220, 5230, 5240, 5250, 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950, MX80C, MX90C, MX100, MX100C, MX120, MX135, MX150, MX170, MX215, MX245, MX275, MX305, STX275, STX280, STX325, STX330, STX375, STX380, STX425, STX430, STX440, STX450, STX480, STX485, STX500, STX530, Magnum®: 255, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380, Steiger®: 280, 330, 335, 380, 385, 430, 435, 480, 485, 530, 535			
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AMTL3070	\$ 105.00	
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AM92266C1	\$ 85.00	
Application: 5120, 5130, 5140, 5220, 5230, 5240, 5250, 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950, 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9250, 9270, 9280, CX50, CX60, MX80C, MX90C, MX100, MX100C, MX110, MX120, MX135, MX150, MX170, STX275, STX285, STX325, STX375, STX425, STX430, STX440, STX450, STX480, STX485, STX500, STX530			
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps Includes Connector for plug-and-play installation</p>	AM92266C2	\$ 94.00	

Case IH®—Tractor






Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9240, 9250, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380, 9390, Steiger®: Bearcat 1000, Cougar 1000, CR1225, CR1280, KR1225, KR1280, Panther 1000, Puma 1000, Wildcat 1000			
 <p>LED Floodlight Front Grille Mount 8.25" x 5.75" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Correct Mounting Frame/Bracket (2) Required Replaces 60-6730T91, 60-6731T1</p>	AMTL2020	\$ 116.00	
 <p>LED Floodlight Front Grille Mount 8.25" x 5.75" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Correct Mounting Frame/Bracket (2) Required Replaces 60-6730T91, 60-6731T1</p>	AM20-2063T1	\$ 104.00	
Application: 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9240, 9260, 9280, 9310, 9330, 9350, 9370, 9380, 9390, CX50, CX60, CX70, CX80, CX90, CX100, MX80C, MX90C, MX100, MX100C, MX110, MX120, MX135, MX150, MX170, MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305, Magnum®: 215, 235, 245, 255, 275, 305, 335			
 <p>LED Floodlight Fender Mount w/ Hollow Bolt 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware</p>	AMTL3085	\$ 105.00	
 <p>LED Floodlight Fender Mount w/ Hollow Bolt 6" x 3.50" 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware</p>	AM20-1730T91	\$ 80.00	
Application: MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305, Magnum®: 215, 245, 255, 275, 305			
 <p>LED Floodlight Cab Mount 6" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware Replaces 9824851</p>	AMTL3050	\$ 105.00	
Application: MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX275, MX285, MX305, Magnum®: 215, 245, 255, 260, 275, 305, 335			
 <p>LED Floodlight Side Mount 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Requires Splicing into Original Wiring</p>	AMTL3075	\$ 105.00	
Application: 485, 585, 685, 885, 1394, 1494, 1594, 4494, 4690, 4890			
 <p>LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1</p>	AMTL6090	\$ 114.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.








Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 9110, 9130, 9150, 9170, 9180, 9210, 9230, 9240, 9250, 9260, 9270, 9280, Steiger®: 1225, 1280, 1325, 1360, 1400, Bearcat, Bearcat 1000, Cougar, Cougar 1000, CM325, CM360, CP1325, CP1360, CP1400, CR1225, CR1280, CS360, KM225, KM280, KM325, KM360, KP1325, KP1360, KP1400, KR1225, KR1280, KS280, KS325, KS360, Lion, Lion 1000, Panther, Panther 1000, PT225, PT270, PTA251, PTA270, PTA280, PTA297, PTA310, PTA325, Puma 1000, SM325, ST220, ST225, ST250, ST251, ST270, ST280, ST310, ST320, ST325, ST350, Wildcat 1000 Replaces 91666C91, 245555C1			
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4.16 Amps For 12 Volt to 24 Volt Systems</p>	AMTL175F	\$ 135.00	
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4 Amps For 12 Volt to 24 Volt Systems</p>	AM245897C91	\$ 121.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	

Case IH®—Tractor


Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 485			
 <p>LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces 131368C92</p>	AMTL2080	\$ 108.00	
 <p>LED Trapezoid Light Cab and Rear Fender Mount Bottom Mount w/ Built-In Heat Sink 4.50" Round Trapezoid Pattern 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket, Long and Short Rubber Bezels, and Stainless Steel Hardware Replaces 131368C92, 70269614, A145495, RE19079 Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware</p>	AMAR85260	\$ 97.00	
 <p>LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMRE19079	\$ 106.00	
Application: 385, 395, 485, 495, 585, 685, 695, 885, 995, 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950, CX50, CX60, CX70, CX80, CX90, CX100, MX80C, MX90C, MX100, MX100C, MX110, MX120, MX135, MX150, MX170			
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AMX34180	\$ 57.00	
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AM92185C1	\$ 47.00	
Application: 595, 695, 895, 995, 3220, 3230, 4210, 4230, 4240, 5120, 5130, 5140, 5220, 5230, 5240, 5250			
 <p>LED Warning Light, Right Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light Amber Lens, 7 Watts, 0.60 Amp For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 1983404C1</p>	AMTL7010R	\$ 57.00	
 <p>LED Warning Light, Left Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light Amber Lens, 7 Watts, 0.60 Amp For 12 Volt to 24 Volt Systems Included Stainless Steel Hardware Replaces 1983404C1</p>	AMTL7010L	\$ 57.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.











Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 9110, 9130, 9150, 9170, 9210, 9230, 9240, 9250, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380, 9390 Replaces 22-665T1, 20-1950T91, 60-6246T1			
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMX34184	\$ 57.00	
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMAR60250	\$ 40.00	
Application: Universal Equipment			
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	
 <p>Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891</p>	AM82018390	\$ 73.70	
 <p>LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware</p>	AMTL2100	\$ 34.00	
 <p>LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately</p>	AMTL2000-1	\$ 98.00	
 <p>LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately</p>	AMX33131	\$ 85.00	
 <p>Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000</p>	AMX33132	\$ 17.00	

Case IH®—Tractor









Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.




Case IH®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: JX70U, JX80U, JX90U, JX100U, MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX255, MX270, MX285, MXM120, MXM130, MXM140, MXM155, MXM175, MXM190, Magnum®: 235, 250, 260, 280, 290, 310, 315, 340, 370, 380			
 <p>LED Front Corner Light w/ Work Light, Right Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-in Resistor (12 Watts) Work Light: Floodlight, 3300 Lumens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279220A1</p>	AMTL6120R	\$ 135.00	
 <p>LED Front Corner Light w/ Work Light, Left Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-in Resistor (12 Watts) Work Light: Floodlight, 3300 Lumens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279219A1</p>	AMTL6120L	\$ 135.00	
Application: JX70U, JX80U, JX90U, JX100U, JX1070C, JX1075C, JX1085C, JX1095C, MX180, MX200, MX210, MX215, MX220, MX230, MX240, MX245, MX255, MX270, MX275, MX285, MX305, MXM120, MXM130, MXM140, MXM155, MXM175, MXM190, Magnum®: 180, 190, 210, 215, 225, 235, 245, 250, 255, 260, 275, 280, 290, 305, 310, 315, 335, 340, 370, 380			
 <p>LED Rear Corner Light, Right Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279223A1</p>	AMTL6130R	\$ 67.00	
 <p>LED Rear Corner Light, Left Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279224A1</p>	AMTL6130L	\$ 67.00	
 <p>LED Rear Corner Light, Right Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM279223A1	\$ 67.00	
 <p>LED Rear Corner Light, Left Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM279224A1	\$ 67.00	
Application: JX70U, JX80U, JX90U, JX100U, MX210, MX230, MX255, MX285, MXM120, MXM130, MXM140, MXM155, MXM175, MXM190, MXU100, MXU110, MXU115, MXU125, MXU135			
 <p>LED Corner Light w/ Tail Light, Right Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-In Resistor (12 Watts) Tail Light: Red Lens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 357540A1</p>	AMTL6145R	\$ 135.00	
 <p>LED Corner Light w/ Tail Light, Left Hand Corner Light Specifications: Amber Lens, 17 Watts, 2.40 Amps, Built-In Resistor (12 Watts) Tail Light: Red Lens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 357541A1</p>	AMTL6145L	\$ 135.00	








Case IH®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	MX180, MX200, MX220, MX240, MX270			
	LED Corner Tail Light w/ Work Light, Right Hand Corner Tail Light Specifications: Amber Lens, 17 Watts, 2.40 Amps, Built-In Resistor to work w/ factory Flasher, 12 Watts Work Light Specifications: White Lens, Floodlight Pattern, 3000 Lumens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement	AMTL6140R	\$ 135.00	
		AMTL6140L	\$ 135.00	
Application:	Universal Equipment			
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	








Case IH®—Combine

Lighting

Description	Part Number	Retail Price	Core
Application: 5088, 6088, 7088, 7120, 7130, 7230, 8010, 8120, 8230, 9120, 9130, 9230 - Early models w/ 6 lights on top of the cab			
 <p>LED Floodlight Kit Includes (4) LED Outer Cab Lights*, (2) LED Center Cab Lights*, (2) LED Stubble Lights**, Connectors and Mounting Hardware Uses Original Mount and Wiring *6000 Lumens, 65 Watts, 5.40 Amps **2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems All Lights are Oval</p>	AMTL7120-KIT	\$ 1,063.00	
 <p>LED Floodlight Kit Includes (4) LED Outer Cab Lights*, (2) LED Center Cab Lights*, (2) LED Stubble Lights**, Connectors and Mounting Hardware Uses Original Mount and Wiring *6000 Lumens, 65 Watts, 5.40 Amps **2900 Lumens, 35 Watts, 2.90 Amps</p>	AMX34187	\$ 956.00	
Application: 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588			
 <p>LED Floodlight/Spotlight Combo Kit (2) Hi/Lo Beam LED Center Lights, (4) High Beam LED Outer Lights and Mounting Hardware 4" x 6" Rectangle Combo Lights Each Light is 3500 Lumens, 60 Watts, 5 Amps For 12 to 24 Volt Systems Direct Replacement, Plug-and-Play</p>	AMX34188	\$ 599.00	
Application: 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588			
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Center Headlights*, (4) LED Outer Headlights* and (8) LED Work Lights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 60 Watts, 5 Amps **3600 Lumens, 40 Watts, 3.30 Amps</p>	AMTLCASEKIT2	\$ 1,286.00	
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Center Headlights*, (4) LED Outer Headlights* and (8) LED Work Lights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 60 Watts, 5 Amps **3600 Lumens, 40 Watts, 3.30 Amps</p>	AMX34155	\$ 1,157.00	
Application: 5088, 6088, 7010, 7088, 7120, 7130, 7230, 8010, 8120, 8230, 9120, 9130, 9230			
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Center Headlights*, (4) LED Outer Headlights*, (6) LED Work Lights**, Connectors and Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **2900 Lumens, 35 Watts, 2.90 Amps</p>	AMTLCASEKIT3	\$ 1,438.00	
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Center Headlights*, (4) LED Outer Headlights*, (6) LED Work Lights**, Connectors and Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **2900 Lumens, 35 Watts, 2.90 Amps</p>	AMX34174	\$ 1,294.00	

Case IH®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Patriot Sprayers: 2250, 3240, 3340			
 <p>LED Light Kit Includes Right Hand and Left Hand LED Headlights* and LED Center Headlight** Corner Headlights features a DOT and E-Marked light pattern, specifically designed for road travel For 12 Volt to 24 Volt Systems Plug-and-Play Installation *1200 Lumens **15000 Lumens, 150 Watts</p>	AMTLCASEKIT11	\$ 1,218.00	
Application: 5088, 5140, 6088, 6140, 7088, 7120, 7130, 7140, 7230, 8010, 8120, 8230, 8240, 9120, 9130, 9230, 9240 Replaces 87584890			
 <p>LED Conversion Light Stubble Light 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMTL5650	\$ 108.00	
 <p>LED Conversion Light Stubble Light 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMAH207788	\$ 54.00	
Application: Titan Floaters: 3020, 3040, 3540, 4020, 4030, 4040, 4520, 4530, 4540, Sprayers: 3320, 4420, SPX4260, SPX4410			
 <p>LED Headlight, Right Hand 5300 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 232450A2, 365841A1, 87429390</p>	AM232448A2	\$ 155.00	
 <p>LED Headlight, Left Hand 5300 Lumens, 70 Watts, 5.80 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 232451A2, 365842A1, 87429389</p>	AM232449A1	\$ 155.00	
Application: Titan Floaters: 3020, 3520, 4020, 4520, Sprayers: 3320, 4420, SPX4260, SPX4410			
 <p>LED Center Headlight 10.50" x 4.25" Rectangle Light 7200 Lumens, 108 Watts, 9 Amps For 12 Volt to 24 Volt Systems Replaces 232454A2, 232455A2</p>	AMTL6010	\$ 189.00	
Application: Patriot Sprayers: 2250, 3240, 3340			
 <p>LED Center Headlight 15000 Lumens, 150 Watts For 12 Volt to 24 Volt Systems Replaces current OEM Lights and Housing, Plug-and-Play Replaces 87455676, 87455677, 87308895</p>	AMTL6150	\$ 506.00	

Case IH®—Combine








Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Titan Floaters: 3020, 3040, 3520, 3540, 4020, 4030, 4040, 4520, 4530, 4540, Patriot Sprayers: 4420, SPX3320, SPX4260, SPX4410			
 <p>LED Corner Headlight, Right Hand Floodlight/Spotlight Combo Includes Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement 5300 Lumens, 70 Watts, 5.80 Amps Replaces 232448A2, 232450A2, 365841A1, 87429390</p>	AMTL6110R	\$ 203.00	
 <p>LED Corner Headlight, Left Hand Floodlight/Spotlight Combo Includes Stainless Steel Hardware For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement 5300 Lumens, 70 Watts, 5.80 Amps Replaces 232449A2, 232451A2, 365842A1, 87429389</p>	AMTL6110L	\$ 203.00	
Application: Universal Equipment			
 <p>LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL105F	\$ 85.50	
 <p>LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118F	\$ 57.00	
 <p>LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems Replaces 47682629, 47682620, 84236850, 87555142, 87584890</p>	AMX34171	\$ 85.00	
 <p>LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL115F	\$ 66.00	
 <p>LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL180	\$ 102.00	
 <p>LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500F	\$ 135.00	
 <p>LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket</p>	AMAT305931	\$ 121.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces 131203C1, 373662R1, 373662R91	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces 131203C1, 373662R1, 373662R91	AMRE336111	\$ 45.00	
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
Application:	2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, Cotton Pickers: 420, 625, 2155, 2555, CPX420, CPX610, CPX620 Replaces 138225A1, 183162A1, 353656A1, 353657A1, 87368623			
	LED Floodlight Cab Mount 6.50" x 4" Rectangle Light High Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play	AMTL6080	\$ 114.00	
	LED Floodlight Grille Mount 6.50" x 4" Rectangle Light High Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play	AM353656A1	\$ 95.00	
Application:	2388, 5130, 5140, 6130, 6140, 7010, 7130, 7140, 7230, 7240, 7250, 8010, 8120, 8230, 8240, 8250, 9010, 9120, 9230, 9240, 9250, AFX8010 Replaces 870001315, 87284332, 87584890			
	LED Floodlight 5.75" x 3.75" x 3" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Mounting Hardware and Mounting Bracket	AMTL5655	\$ 108.00	
	LED Floodlight 5.75" x 3.75" x 3" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Mounting Hardware and Mounting Bracket	AMAXE40244	\$ 55.00	

Case IH®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 5088, 6088, 7088, 7120, 7130, 7230, 8010, 8120, 8230, 9120, 9130, 9230 Replaces 87106352, 87106354			
 <p>LED Floodlight Hood Mount 6.50" x 4.50" x 4" Oval Light Dual Hi/Lo Beam 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play</p>	AMTL8520S	\$ 151.00	
 <p>LED Floodlight Hood Mount 6.50" x 4.50" x 4" Oval Light Dual Hi/Lo Beam 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play</p>	AMRE173600	\$ 75.00	
Application: 5088, 6088, 7088, 7120, 7130, 7230, 8010, 8120, 8230, 9120, 9230, Cotton Picker: 625 Module Express			
 <p>LED Floodlight Cab Mount 6.50" x 4.50" x 4" Oval Light 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces 87106353</p>	AMTL8420	\$ 151.00	
 <p>LED Floodlight Cab Mount 6.50" x 4.50" x 4" Oval Light 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces 87106353</p>	AM87106353	\$ 60.00	
Application: Floaters: 3020, 3030, 3040, 3520, 3530, 3540, 4020, 4030, 4530, 4540, 4520, FLX3010, FLX3510, FLX4010, FLX4510, Patriot Sprayers: 4420, 4430, 4440, Sprayer: SPX4410 Replaces 92263C1, 178345A1, 180097A1, 275335A1, 305256A1, 1983210C1, 87435762, 87773385			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AM92269C1	\$ 95.00	
Application: 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, Cotton Pickers: 1800, 1822, 1844, 2022, 2044, 2055			
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4.16 Amps For 12 Volt to 24 Volt Systems</p>	AMTL175F	\$ 135.00	
 <p>LED Floodlight/Spotlight Combo Cab, Front and Rear Fender Mount 6" x 4" Rectangle Light 4800 Lumens, 50 Watts, 4 Amps For 12 Volt to 24 Volt Systems</p>	AM245897C91	\$ 121.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Case IH®—Combine









Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, Cotton Pickers: 420, 625, CPX420, CPX610, CPX620			
 LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1	AMTL6090	\$ 114.00	
 LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1	AM87367623	\$ 85.00	
Application: 5140, 6140, 7140, 7230, 8230, 8240, 9230, 9240 Replaces 47430977, 47430979			
 LED Floodlight/Spotlight Combo Upper Cab Mount 6" x 3" x 3.25" Oval Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Hardware, Plug-and-Play Plastic Bezel Not Included	AMTL8050	\$ 108.00	
 LED Light Upper Cab Mount 6" x 3" x 3.25" Oval Light Plug-and-Play 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Hardware Plastic Bezel Not Included	AMRE331642	\$ 86.00	
Application: Universal Equipment			
 LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
 LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
 LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
 LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.












Case IH®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 1400, 1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, Cotton Pickers: 420, 620, 782, 1400, 1800, 1822, 1844, 2022, 2044, 2055, 2155, 2555, CPX420, CPX610, Swathers: 4000, 5000			
 LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368	AMX34180	\$ 57.00	
 LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368	AM92185C1	\$ 47.00	
Application: Cornheads: 2206, 2208, 2212, 2406, 2408, 2412, 3206, 3208, 3212, 3406, 3408, 3412, 3416, 3418			
Warning Light Bracket	AM86538829	\$ 60.00	
Application: Universal Equipment			
 Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
 LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
 LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
 LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
 Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
 Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	

Case IH®—Combine








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
Application:	Patriot Sprayers: 3230, 3240, 3330, 3340, SPX3320			
	LED Front Corner Light w/ Work Light, Right Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-in Resistor (12 Watts) Work Light: Floodlight, 3300 Lumens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279220A1	AMTL6120R	\$ 135.00	
	LED Front Corner Light w/ Work Light, Left Hand Corner Light: Amber Lens, 17 Watts, 2.40 Amps, Built-in Resistor (12 Watts) Work Light: Floodlight, 3300 Lumens, 30 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279219A1	AMTL6120L	\$ 135.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.



Case IH®—Combine

Lighting (...continued)








Description	Part Number	Retail Price	Core
Application: Patriot Sprayers: 3230, 3330, 3240, 3340, SPX3320			
 <p>LED Rear Corner Light, Right Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279223A1</p>	AMTL6130R	\$ 67.00	
 <p>LED Rear Corner Light, Left Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 279224A1</p>	AMTL6130L	\$ 67.00	
 <p>LED Rear Corner Light, Right Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM279223A1	\$ 67.00	
 <p>LED Rear Corner Light, Left Hand Amber Lens, 17 Watts, 2.40 Amps Built-In Resistor, 12 Watts For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement</p>	AM279224A1	\$ 67.00	
Application: Universal Equipment			
 <p>LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger</p>	AMTL2460	\$ 89.00	
Application: 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, Cotton Pickers: 420, 2155, 2555, CPX420			
 <p>LED Work Light 6" x 3.50" x 3" Rectangle Floodlight 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring</p>	AMTL3035	\$ 102.00	
 <p>LED Work Light Under Cab and Bin Mount Right or Left Hand</p>	AM185118A1	\$ 91.00	

Case IH®—Combine

Lighting (...continued)





Description		Part Number	Retail Price	Core
Application:	Universal Sprayers			
	LED Blue Work Light 4.25" x 4.50" x 3" Rectangle Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Mounting Bracket	AMTLFL5	\$ 66.00	
	LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Spotlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793	AMX34207	\$ 59.40	
	LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Floodlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793	AMX34206	\$ 94.50	
Application:	7120, 7230, 7240, 8120, 8230, 8240, 9120, 9230, 9240			
	Light Switch, Work Light	AM87603462	\$ 39.00	

Lighting

Description	Part Number	Retail Price	Core
Application: Challenger®: MT425B, MT445B, MT455B, MT445D, MT465B, MT465D, MT475B, MT475D, MT485D, MT495D, MT515D, MT515E, MT525B, MT525D, MT535B, MT535D, MT545B, MT545D, MT545E, MT555B, MT555D, MT555E, MT565B, MT565D, MT565E, MT575B, MT575D, MT575E, MT585B, MT585D, MT585E, MT595B, MT595D, MT635B, MT645B, MT655B, MT665B			
 <p>LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMTL5650	\$ 108.00	
 <p>LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMAH207788	\$ 54.00	
Application: Challenger®: MT455D, MT465D, MT475D, MT485D, MT495D, MT515D, MT515E, MT525D, MT535D, MT545D, MT545E, MT555D, MT555E, MT565D, MT565E, MT575D, MT575E, MT585D, MT585E, MT595D, MT645C, MT645D, MT645E, MT655C, MT655D, MT665E, MT675C, MT675D, MT675E, MT685C, MT685D, MT685E			
 <p>LED Conversion Light Front Handrail Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMTL5650	\$ 108.00	
 <p>LED Conversion Light Front Handrail Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMAH207788	\$ 54.00	
Application: Challenger®: MT455D, MT465D, MT475D, MT485D, MT495D, MT555D, MT565D, MT575D, MT585D, MT595D			
 <p>LED Flush Mount Cab Light Oval Light Cab Mount 6.50" x 4.75" x 2.75" 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Uses Original Mounting Bracket Includes two connectors to work on lights that have two bulbs in one housing, and an adapter to work on single bulb lights Replaces 786664M92, 3786665M93</p>	AMTL7090	\$ 107.00	
Application: Challenger®: MT745C, MT745D, MT755D, MT755E, MT765C, MT765D, MT765E, MT775C, MT775E, MT835C, MT845C, MT845E, MT855C, MT855E, MT865C, MT865E, MT875C, MT875E, MT945C, MT955C, MT955E, MT965C, MT965E, MT975C, MT975E			
 <p>LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation</p>	AMTL6020	\$ 115.00	
 <p>LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation</p>	AMX34172	\$ 103.00	

Caterpillar®/Challenger®

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Caterpillar® Ind/Const: Most Models				
	LED Wide Floodlight, Compact 4.25" x 4.50" x 3" Round Light 6900 Lumens, 50 Watts, 4.10 Amps 90° Flood Pattern For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500WF	\$ 135.00	
Application: Universal Equipment				
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Caterpillar®/Challenger®










Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C</p>	AMRE336111	\$ 45.00	
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: Challenger® Tractors: MT635, MT645, MT655, MT665			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AMTL6040	\$ 133.00	
<p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AM72514546	\$ 119.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Caterpillar®/Challenger®








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Caterpillar®/Challenger®










Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	

Lighting

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems</p>	AMX34171	\$ 85.00	
 <p>LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL105F	\$ 85.50	
 <p>LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118F	\$ 57.00	
 <p>LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL180	\$ 102.00	
 <p>LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500F	\$ 135.00	
 <p>LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket</p>	AMAT305931	\$ 121.00	
 <p>LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL115F	\$ 66.00	
 <p>LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems</p>	AMTL3010	\$ 50.00	
 <p>LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C</p>	AMRE336111	\$ 45.00	


Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	

Lighting (...continued)







Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Magnetic Work Light	AMTL2460	\$ 89.00	
	All-Position Light			
	3.25" Square Floodlight			
	900 Lumens			
	3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern			
Magnetic Base				
Includes Lithium Ion Battery, Cigarette Lighter and DC Charger				

Ford®/New Holland®—Tractor






Lighting

Description	Part Number	Retail Price	Core
Application: 8N, 600, 620, 630, 640, 650, 660, 700, 740, 800, 820, 840, 850, 860, 900, 950, 960, Jubilee, NAA, NAB Light Bulb, Sealed Beam 4 1/2" Diameter Round Bulb Dimpled Lens 6 Volt	AM8N15514	\$ 30.00	
Application: Versatile®: 190, 220, 250, 260, 285, 290, 305, 310, 340, 375, 400, 405, 435, 535, 550, 575  LED Floodlight Conversion Kit (2) 6.50" x 4.50" Oval Lights, Each Light is 5000 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets, Stainless Steel Hardware and Wiring Harness (Plug-and-Play)	AMTL8320-KIT	\$ 386.00	
Application: 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, Versatile®: 2145, 2160, 2180, 2210  LED Light Kit Includes Right Hand and Left Hand LED Headlight**, (2) Cab Mount LED Floodlights*, (6) Cab/Fender Mount LED Floodlights*, Connectors and Stainless Steel Mounting Hardware For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring *3600 Lumens, 40 Watts, 3.30-3.33 Amps **8200 Lumens, 90 Watts, 7.50 Amps	AMX34162	\$ 1,300.00	
Application: T6020, T6040, T6060, T7030, T7040, T7050, T7060, TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, TS100A, TS110A, TS115A, TS125A, TS130A, TS135A Replaces 82031075  LED Upper Cab Light 6" x 3" x 2.50" Rectangle Light 3000 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Due to cab variations, please verify correct part number before ordering	AMTL7040	\$ 102.00	
 LED Upper Cab Light 6" x 3" x 2.50" Rectangle Light 3000 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Due to cab variations, please verify correct part number before ordering	AM82031078	\$ 85.00	
Application: 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, Versatile®/Buhler®: 2145, 2160, 2180, 2210  LED Headlight, Right Hand Hi/Lo Beam and Side Beam 8200 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces 86514346, 86514347	AMTL8970R	\$ 253.00	
 LED Headlight, Left Hand Hi/Lo Beam and Side Beam 8200 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces 86514348, 86514349	AMTL8970L	\$ 253.00	
Application: T6010, T6020, T6030, T6040, T6060, T6070, T7030, T7040, T7060, TL80A, TL90A, TL100A, TN60A LED Headlight Floodlight Pattern 6.50" x 6" x 4.50" 3200 Lumens, 32 Watts, 2.6 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces 82035642	AMTL6025	\$ 148.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Ford®/New Holland®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: T8010, T8020, T8030, T8040, T8050, TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305				
	LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation	AMTL6020	\$ 115.00	
	LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation	AMX34172	\$ 103.00	
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Ford®/New Holland®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
Application:	2310, 2600, 3600, 4000, 4100, 4200, 4600, 5000, 5200, 5600, 5900, 6600, 6700, 7000, 8600, 8700, 9000, 9700			
	Halogen Floodlight, Sealed Beam 4.50" Diameter Round Light 2-Terminal Connection For 12 Volt Systems Replaces A47179, AR104119, E3NN15330AA	AMH7606	\$ 13.00	
Application:	8160, 8260, 8360, 8560, 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, TM115, TM120, TM125, TM130, TM135, TM140, TM150, TM155, TM165, TM175, TM190, TS90, TS100, TS110, TS115, Versatile®/Buhler®: 2145, 2160, 2180, 2210			
	LED Floodlight Cab Mount 6" x 3.50 Rectangle Light 3600 Lumens, 40 Watts, 3 Amps Post on Side Deutsch Connector	AM9846126	\$ 86.00	
Application:	8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A			
	LED Floodlight Cab Mount 6" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware Replaces 9824851	AMTL3050	\$ 105.00	
Application:	T6010, T6020, T6030, T6040, T6050, T6060, T6070, T6080, T6090, T7030, T7040, T7050, T7060, T7070, T6.120, T6.140, T6.150, T6.155, T6.160, T6.165, T6.175, T7.170, T7.175, T7.185, T7.190, T7.200, T7.210, T7.220, T7.225, T7.230, T7.235, T7.245, T7.250, T7.260, T7.270			
	LED Floodlight Oval Light 3000 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware Replaces 84254557, 84273088	AMTL7060	\$ 111.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.








Ford®/New Holland®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: T8010, T8020, T8030, T8040, T8050, T9010, T9020, T9030, T9040, T9050, T9060, T9.390, T9.435, T9.450, T9.480, T9.505, T9.530, T9.560, T9.565, T9.600, T9.615, T9.645, T9.670, T9.700, TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, TJ275, TJ280, TJ325, TJ330, TJ375, TJ380, TJ425, TJ430, TJ450, TJ480, TJ500, TJ530 Replaces 87435762, 87773385			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AM92269C1	\$ 95.00	
Application: T8010, T8020, T8030, T8040, T8050, T8.275, T8.300, T8.320, T8.330, T8.350, T8.360, T8.380, T8.390, T8.410, T8.420, T8.435, TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305			
 <p>LED Floodlight Fender Mount w/ Hollow Bolt 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware</p>	AMTL3085	\$ 105.00	
 <p>LED Floodlight Fender Mount w/ Hollow Bolt 6" x 3.50" 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Wiring Includes Deutsch Connector, Mounting Bracket and Stainless Steel Hardware</p>	AM20-1730T91	\$ 80.00	
Application: T8010, T8020, T8030, T8040, T8050, TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305			
 <p>LED Floodlight Side Mount 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Requires Splicing into Original Wiring</p>	AMTL3075	\$ 105.00	
Application: T8010, T8020, T8030, T8040, T8050, TG215, TG245, TG275, TG305			
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AMTL3070	\$ 105.00	
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AM92266C1	\$ 85.00	








Ford®/New Holland®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Versatile®: 190, 220, 250, 260, 265, 270, 290, 300, 305, 310, 320, 335, 360 Replaces 86038024			
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 35 Watt, 2.90 Amps For 12 Volt to 24 Volt Systems Use Original Mount and Wiring, Plug-and-Play</p>	AMTL8220	\$ 121.00	
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 39 Watts, 2.90 Amps For 12 Volt to 25 Volt Systems Includes Connector, Plug-and-Play</p>	AMRE271574	\$ 108.00	
Application: Versatile®: 190, 220, 250, 260, 285, 290, 305, 310, 340, 375, 400, 405, 435, 535, 550, 575			
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5200 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL5680	\$ 135.00	
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5500 Lumens, 65 Watts For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Connector and Bracket for Plug-and-Play Installation</p>	AMAH212523	\$ 100.00	
Application: 5640, 6640, 6640O, 7740, 7740O, 7840, 7840O, 8160, 8240, 8260, 8340, 8360, 8560, TM115, TM120, TM125, TM130, TM135, TM140, TM150, TM155, TM165, TM175, TM190, TV140			
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL7740	\$ 124.00	
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light, 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMF0NN1305AB	\$ 111.00	
Application: TS90, TS100, TS110, TS115			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Mounting Brackets and Stainless Steel Hardware</p>	AMTL6070	\$ 157.00	








Ford®/New Holland®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
Application:	233, 333, 2000, 2100, 2110, 2120, 2150, 2300, 2310, 2600, 2600N, 2600R, 2600V, 3000, 3055, 3100, 3110, 3120, 3150, 3300, 3310, 3330, 3400, 3500, 3550, 3600, 3600N, 3600NO, 3600R, 3600V, 3900, 4000, 4100, 4110, 4140, 4200, 4330, 4340, 4400, 4410, 4500, 4600, 4600NO, 4600O, 4600SU, 5000, 5100, 5200, 5340, 5600, 5700, 6600, 6600C, 6600O, 6700, 6710, 7000, 7100, 7200, 7600, 7600C, 7700, 7710, 7910, 8000, 8210, 8600, 8700, 9000, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111	AMTL3015	\$ 55.00	
Application:	2310, 2600, 2610, 2810, 2910, 3600, 3610, 3910, 3930, 4200, 4600, 4600SU, 4610, 5200, 5600, 5610, 5900, 6600, 6610, 7000, 7200, 7600, 7610 Replaces D9NN13005CA, D4NN13002C			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels	AMTL2060	\$ 115.00	
	LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
	Headlight Sealed Beam, 12 Volt, 2-Wire	AMRE25126	\$ 55.00	










Ford®/New Holland®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	
Application: 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, Versatile®: 2145, 2160, 2180, 2210			
 <p>LED Warning Light, Right Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light Amber Lens, 7 Watts, 0.60 Amp For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 86507530</p>	AMTL7015R	\$ 57.00	
 <p>LED Warning Light, Left Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light Amber Lens, 7 Watts, 0.60 Amp For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 86507530</p>	AMTL7015L	\$ 57.00	
Application: 9030E, 9030V, 9184, 9280, 9282, 9384, 9480, 9482, 9484, 9680, 9682, 9684, 9880, 9882, 9884, Versatile®: 256, 276, 276-II, 756, 836, 846, 856, 876, 936, 946, 956, 976, 1156			
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AMX34180	\$ 57.00	
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AM92185C1	\$ 47.00	
Application: T9020, T9030, T9040, T9050, T9060, TJ275, TJ280, TJ325, TJ330, TJ375, TJ380, TJ425, TJ430, TJ450, TJ480, TJ500, TJ530			
 <p>Warning Light, Side Marker Amber Lenses</p>	AM367321A1	\$ 35.60	
Application: Universal Equipment			
 <p>Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891</p>	AM82018390	\$ 73.70	

Ford®/New Holland®—Tractor










Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	



Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Ford®/New Holland®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	
Application:	2N, 8N, 9N			
	Light Switch Replaces 9N11652, 830517M91	AM9N11652B	\$ 7.00	
Application:	2000, 2310, 2600, 2610, 2810, 2910, 3000, 3600, 3610, 3910, 4000, 4110, 4600, 4610, 5000, 5110, 5600, 5610, 6410, 6610, 6710, 6810, 7000, 7600, 7610, 7710, 7910, 8210			
	Light Switch Replaces C5NN11654C, D6NN11N650A, EDPN11654AA	AM251405	\$ 12.00	
Application:	2310, 2610, 2810, 2910, 3610, 3910, 3930, 4110, 4610, 4630, 4830, 5110, 5610, 6410, 6610, 6710, 6810, 7410, 7610, 7710, 8210, 8530, 8630, 8730, 8830, TW5, TW15, TW25, TW35, Ind/Const: 230A, 234, 250C, 260C, 334, 335, 340, 340A, 340B, 345C, 345D, 445, 445A, (445C, 445D, 545C, 545D - w/o Cab), 450, 530A, 540, 540A, 540B, 545, 545A			
	Light Switch	AME3NN11654AA	\$ 14.75	

Lighting

Description		Part Number	Retail Price	Core
Application:	CR6.80, CR6.90, CR7.80, CR7.90, CR8.90, CR9.90, CR10.90, CX8.80, CX8.90, Forage Harvesters: FR480, FR550, FR650, FR780, FR850, FR920			
	LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation	AMTL6020	\$ 115.00	
	LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation	AMX34172	\$ 103.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

New Holland®—Combine









Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

New Holland®—Combine










Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
Application:	Versatile® Sprayers: SP235, SP275, SX240, SX280 Replaces 86038024			
	LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 35 Watt, 2.90 Amps For 12 Volt to 24 Volt Systems Use Original Mount and Wiring, Plug-and-Play	AMTL8220	\$ 121.00	
	LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 39 Watts, 2.90 Amps For 12 Volt to 25 Volt Systems Includes Connector, Plug-and-Play	AMRE271574	\$ 108.00	
Application:	Universal Equipment			
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
Application:	Swather Platforms: 12HS, 14HS, 16HS, 750HD, 770HD			
	Warning Light, Side Marker Amber Lenses	AM367321A1	\$ 35.60	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

New Holland®—Combine









Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

New Holland®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
      	<p>LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware</p>	AMTLB410C	\$ 169.00	
	<p>LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL30SRC	\$ 259.00	
	<p>LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs</p>	AMLED30	\$ 130.00	
	<p>LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware</p>	AMTL40SRC	\$ 337.00	
	<p>LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs</p>	AMLED40	\$ 160.00	
	<p>LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691</p>	AMTLB440C	\$ 328.00	
	<p>LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger</p>	AMTL2460	\$ 89.00	
Application: Universal Sprayers				
	<p>LED Blue Work Light 4.25" x 4.50" x 3" Rectangle Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Mounting Bracket</p>	AMTLFL5	\$ 66.00	
	<p>LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Spotlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793</p>	AMX34207	\$ 59.40	
	<p>LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Floodlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793</p>	AMX34206	\$ 94.50	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

New Holland®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	CR920, CR940, CR960, CR970, CR980, CR6090, CR7090, CR8090, CR9040, CR9060, CR9065, CR9070, CR9080, CR9090, CX8070, CX8080, CX8090			








Light Switch, Work Light

AM87603462 \$ 39.00

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Lighting

Description	Part Number	Retail Price	Core
Application: 3088, 3288, 3488, 3688, 5088, 5288, 5488			
 <p>LED Light Kit Includes (2) LED Headlights*, (2) LED Floodlights*, (4) LED Sealed Round Lights**, Stainless Steel Mounting Hardware and Mounting Bracket For Models w/ Rectangle Light by Stairs For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 60 Watts, 5 Amps **2200 Lumens, 24 Watts, 2 Amps</p>	AMTLCASEKIT5	\$ 674.00	
 <p>LED Light Kit Includes (2) LED Headlights*, (2) LED Floodlights*, (4) LED Sealed Round Lights**, Stainless Steel Mounting Hardware and Mounting Bracket For Models w/ Rectangle Light by Stairs For 12 Volt to 24 Volt Systems *3500 Lumens, 60 Watts, 5 Amps **2200 Lumens, 24 Watts, 2 Amps Plug-and-Play Installation *3500 Lumens, 60 Watts, 5 Amps</p>	AMX34194	\$ 606.00	
Application: 06, 56 & 66 Series - w/ Flat Top Fenders			
 <p>Single Beam Headlight Assembly Wire Inside Stud</p>	AM388945R91	\$ 28.00	
Application: 395, 495, 595, 695, 895, 995			
 <p>Headlight, Right Hand Includes Hardware Replaces 1964579C2, 1964881C1</p>	AM1964881C2	\$ 177.00	
 <p>Headlight, Left Hand Includes Hardware Replaces 1964580C2, 1964882C1</p>	AM1964882C2	\$ 177.00	

International®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces 131203C1, 373662R1, 373662R91	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces 131203C1, 373662R1, 373662R91	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

International®—Tractor








Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 786, 806, 886, 966, 986, 1066, 1086, 1256, 1466, 1486, 1566, 1568			
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
Application: 3088, 3288, 3488, 3688, 5088, 5288, 5488			
 <p>LED Floodlight Hood Mount 8.25" x 5.75" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL2010	\$ 133.00	
 <p>LED Floodlight Hood Mount 8.25" x 5.75" Rectangle Light 4500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems</p>	AM131227C92	\$ 100.00	
 <p>LED Floodlight 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Replaces 146479C1</p>	AMTL2040	\$ 124.00	
<p>LED Floodlight 6" x 4" Rectangle Light 3500 Lumens, 5 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware</p>	AM146479C1	\$ 111.00	
Application: 385, 485, 585, 685, 885			
 <p>LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1</p>	AMTL6090	\$ 114.00	
 <p>LED Floodlight/Spotlight Cab Mount 6.50" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Replaces 138225A1, 183162A1, 353657A1</p>	AM87367623	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.








International®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
Application:	186, 664, 666, 686, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 1026, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 1566, 1568, 1586, 3088, 3288, 3388, 3488, 3514, 3588, 3616, 3688, 3788, 4100, 4156, 4166, 4186, 4300, 4366, 4386, 4568, 4586, 4786, 5088, 5288, 5488, 6388, 6588, 6788, 7288, 7388, 7488, Hydro 70, Hydro 86, Hydro 100, Hydro 186, Farmall® Row Crop: 504, 544, 656 Replaces 131508C1, 388945R91, 388946R91, 533063R91			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels	AMTL2060	\$ 115.00	
	LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
	Headlight Sealed Beam, 12 Volt, 2-Wire	AMRE25126	\$ 55.00	
Application:	544, 656, 666, 686, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986, 1026, 1066, 1086, 1206, 1256, 1456, 1466, 1468, 1486, 1566, 1568, 1586, 3088, 3288, 3388, 3488, 3588, 3688, 3788, 5088, 5288, 5488			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111	AMTL3015	\$ 55.00	










International®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 786, 886, 986, 1086, 1486, 1586, 3088, 3288, 3388, 3488, 3588, 3688, 3788, 5088, 5288, 5488, 6388, 6788, 7288, 7488, Hydro 186			
 <p>LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces 131368C92</p>	AMTL2080	\$ 108.00	
 <p>LED Trapezoid Light Cab and Rear Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces 131368C92</p>	AMAR85260	\$ 97.00	
 <p>LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMRE19079	\$ 106.00	
Application: Universal Equipment			
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	
Application: 484, 584, 784, 786, 886, 986, 1086, 1486, 1586, 3088, 3220, 3230, 3288, 3388, 3488, 3588, 3688, 3788, 4210, 4230, 4240, 4386, 4586, 4786, 5088, 5288, 5488, 6388, 6588, 6788			
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AMX34180	\$ 57.00	
 <p>LED Warning Light Cab Mount 6.75" x 3.15" Rectangle Light 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces 92260C1, 107324C91, 130882C91, 216044C91, 216044C92, 9706415, 83977683, 86012669, 86014019, 86016518, 86023276, 87053368</p>	AM92185C1	\$ 47.00	
Application: Universal Equipment			
 <p>Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891</p>	AM82018390	\$ 73.70	

International®—Tractor








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	








Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

International®—Tractor

Lighting (...continued)






Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	
Application:	544, 656, 664, 666, 756, 766, 826, 856, 966, 1026, 1066, 1256, 1456, 1466, 1468, 1566, 1568, 4166, 4366, Hydro 70, Hydro 100			
	Rotary Light Switch 4-Position Switch, 0.67" Thread Diameter	AM403571R1	\$ 62.50	
Application:	A, B			
	Rear Light Cable 38 1/4" Long	AM30711DX	\$ 39.90	
Application:	A, AV			
	Rear Light Cable 53" Long	AM358117R91	\$ 29.50	

Lighting

Description	Part Number	Retail Price	Core
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930, 8120, 8130, 8220, 8225R, 8230, 8245R, 8270R, 8295R, 8320, 8330, 8420, 8430, 8520, 8530, 9120, 9220, 9230, 9320, 9330, 9420, 9430, 9520, 9530, 9620, 9630			
 <p>Replacement Bulb</p>	AMRE179326	\$ 9.50	
Application: 1640, 2040, 2140, 2150, 2255, 2350, 2355N, 2550, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4030, 4040, 4230, Utility: 2155, 2240			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights (3) Rectangle Floodlights, Each Light is 4320 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Includes Wire Harness, Housing, Billet Bezel and Mounting Hardware</p>	AMTL3000	\$ 399.00	
Application: 2355, 2555, 2750, 2755			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights (3) Rectangle Floodlights, Each Light is 4320 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Includes Wire Harness, Housing, Billet Bezel and Mounting Hardware</p>	AMTL2700	\$ 399.00	
Application: 4240, 4430, 4440, 4630			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights (3) Rectangle Floodlights, Each Light is 4320 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Includes Wire Harness (Plug-and-Play), Housing, Billet Bezel and Hardware</p>	AMTL4200	\$ 399.00	
Application: 4555, 4560, 4755, 4760, 4955, 4960			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights (4) 2.49" x 5.44" Rectangle Floodlights, Each Light is 1440 Lumens, 20 Watts, 1.60 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Includes LED Lights, Wire Harness, Housing, Bezels and Mounting Hardware</p>	AMX1910148	\$ 435.00	
Application: 4640, 4840, 8430, 8440, 8450, 8630, 8640, 8650			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights (4) Rectangle Floodlights, Each Light is 5760 Lumens, 120 Watts, 10 Amps Includes Wire Harness (Plug-and-Play), Housing, Billet Bezel and Hardware</p>	AMTL4600	\$ 452.00	
Application: 4650, 4850			
 <p>LED Floodlight Conversion Kit Converts Hood Lights to LED Lights Includes (4) 2.49" x 5.44" Rectangle Floodlights Each are 1440 Lumens, 20 Watts, 1.60 Amps Trapezoid Pattern Includes LED Lights, Wire Harness, Housing, Bezels and Mounting Hardware</p>	AMTL4850	\$ 484.00	






John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 7130, 7230, 7330, 7430, 7530, 7630, 7720, 7730, 7820, 7830, 7920, 7930, 8120, 8130, 8220, 8225R, 8230, 8245R, 8260R, 8270R, 8285R, 8295R, 8320, 8335R, 8345R, 8420, 8430, 8520, 8530, 9220, 9230, 9320, 9420, 9430, 9520, 9530, 9620, 9630			
 <p>LED Floodlight Conversion Kit (2) 6.50" x 4.50" Oval Lights, Each Light is 5000 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets, Stainless Steel Hardware and Wiring Harness (Plug-and-Play)</p>	AMTL8320-KIT	\$ 386.00	
Application: 4050, 4055, 4250, 4255, 4450, 4455			
 <p>LED Hood Conversion Kit Converts Hood Lights to LED Lights (3) Rectangle Floodlights, Each Light is 4320 Lumens, 90 Watts, 7.50 Amps For 12 Volt to 24 Volt Systems Includes Wire Harness (Plug-and-Play), Housing, Billet Bezel and Hardware</p>	AMTL4000	\$ 427.00	
Application: 8100, 8100T, 8110, 8110T, 8200, 8200T, 8210, 8210T, 8300, 8300T, 8310, 8310T, 8400, 8400T, 8410, 8410T			
 <p>LED Floodlight Kit Includes (4) Lights used in the Nose, (2) Lights on the Windshield, (2) Lights under the Steps and Fuel Tank, (4) Lights on the rear of the Tractor and Interchangeable Mounts Each Lights is 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Installation Replaces RE154898, RE154900, RE154901, RE154902, RE154903, RE154904, RE154906, RE154908</p>	AMTLJDKIT1	\$ 1,328.00	
 <p>LED Floodlight Kit Includes (12) Rectangle Lights and Interchangeable Mounts Each Light is 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Installation Replaces RE154898, RE154900, RE154901, RE154902, RE154903, RE154904, RE154906, RE154908</p>	AMX34163	\$ 1,195.00	
Application: Gator™ Utility Vehicles: RSX, XUV			
 <p>LED Spotlight Kit All-Position Light (2) Round Spotlights, Each Light is 5000 Lumens, 35 Watts, 3 Amps For 12 Volt to 24 Volt Systems Includes Wire Harness, Switch, Mounting Brackets and Hardware</p>	AMTLG3	\$ 441.00	
Application: 7200, 7210, 7400, 7410, 7510			
<p>LED Light Kit Includes (2) LED Floodlight/Spotlight Headlights, Right Hand and Left Hand LED Work Lights, (6) LED Floodlights with Ball Mount, (4) Cab Mount LED Floodlights For 12 Volt to 24 Volt Systems 540 Watts, 44.20 Amps Plug-and-Play Installation For models using a ball mount, please check equipment before ordering</p>	AMTLJDKIT9	\$ 1,265.00	






John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930			
 <p>LED Light Kit Includes (2) Hi/Lo Beam Large Oval LED Hood Headlights*, Right Hand and Left Hand LED Headlights* and (6) LED Floodlights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 40 Watts, 3.33 Amps **5200 Lumens, 65 Watts, 5.4 Amps Note: (6) LED Floodlights for use as (2) Front Mid Mount, (2) Rear Fender Mount and (2) Upper Rear Cab Mount</p>	AMTLJDKIT8	\$ 1,310.00	
 <p>LED Light Kit Includes (2) Hi/Lo Beam Large Oval LED Hood Headlights*, Right Hand and Left Hand LED Headlights* and (6) LED Floodlights** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 40 Watts, 3.33 Amps **5200 Lumens, 65 Watts, 5.40 Amps Note: (6) LED Floodlights for use as (2) Front Mid Mount, (2) Rear Fender Mount and (2) Upper Rear Cab Mount</p>	AMX34211	\$ 1,179.00	
Application: 8120, 8120T, 8130, 8220, 8220T, 8230, 8230T, 8320, 8320T, 8330, 8330T, 8420, 8420T, 8430, 8430T, 8520, 8520T, 8530, 9120, 9220, 9230, 9320, 9320T, 9330, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T			
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Hood Lights*, (2) LED Inner Work Lights**, (6) LED Work Lights***, Connectors and Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **3000 Lumens, 35 Watts, 2.90 Amps ***5200 Lumens, 65 Watts, 5.40 Amps</p>	AMX34189	\$ 1,215.00	
Application: 8120, 8120T, 8220, 8220T, 8320, 8320T, 8420, 8420T, 8520, 8520T, 9120, 9220, 9320, 9320T, 9420, 9420T, 9520, 9520T, 9620, 9620T			
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Hood Floodlights*, (2) LED Small Hood Floodlights**, (6) LED Floodlights*** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **3000 Lumens, 35 Watts, 2.90 Amps ***5200 Lumens, 65 Watts, 5.40 Amps Note: (6) LED Floodlights for use as (2) Front Mid Mount, (2) Rear Fender Mount and (2) Upper Rear Cab Mount</p>	AMTLJDKIT2	\$ 1,350.00	
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Hood Lights*, (2) LED Inner Work Lights**, (6) LED Work Lights***, Connectors and Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **3000 Lumens, 35 Watts, 2.90 Amps ***5200 Lumens, 65 Watts, 5.40 Amps</p>	AMX34189	\$ 1,215.00	

John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 8130, 8230, 8230T, 8330, 8330T, 8430, 8430T, 8530, 9230, 9330, 9430, 9430T, 9530, 9530T, 9630, 9630T			
 <p>LED Light Kit Includes (2) LED Large Oval Hi/Lo Hood Floodlights*, (2) LED Small Hood Floodlights**, (6) LED Floodlights*** *6000 Lumens, 65 Watts, 5.40 Amps **3000 Lumens, 35 Watts, 2.90 Amps ***5200 Lumen, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Installation Note: (6) LED Floodlights for use as (2) Front Mid Mount, (2) Rear Fender Mount and (2) Upper Rear Cab Mount</p>	AMTLJDKIT3	\$ 1,350.00	
 <p>LED Light Kit Includes (2) Hi/Lo Beam LED Hood Lights*, (2) LED Inner Work Lights**, (6) LED Work Lights***, Connectors and Mounting Hardware For 12 Volt to 24 Volt Systems Plug-and-Play Installation *6000 Lumens, 65 Watts, 5.40 Amps **3000 Lumens, 35 Watts, 2.90 Amps ***5200 Lumens, 65 Watts, 5.40 Amps</p>	AMX34189	\$ 1,215.00	
Application: 9100, 9200, 9300, 9300T, 9400, 9400T			
 <p>LED Light Kit Includes (2) LED Center Headlights*, (2) Hi/Lo Beam LED Headlights*, (4) LED Rear Fender Worklights**, (4) LED Trapezoid Light*** For 12 Volt to 24 Volt Systems Plug-and-Play Installation *3500 Lumens, 60 Watts, 5 Amps **3600 Lumens, 40 Watts, 3.33 Amps ***2200 Lumens, 24 Watts, 2 Amps</p>	AMTLJDKIT7	\$ 1,001.00	
Application: 2340, 5045, 5055, 5065, 5075, 5083, 5085, 5093, 5095, 5100, 5101, 5105, 5115, 5220, 5225, 5325, 5420, 5425, 5520, 5525, 5625, Utility: 1023E, 1026R, 2305, 2320, 2520, 2720, 3033R, 3039R, 3046R, 3120, 3203, 3320, 3520, 3720, 4010, 4044M, 4044R, 4052M, 4052R, 4066M, 4066R, 4105, 4110, 4115, 4120, 4210, 4310, 4320, 4410, 4510, 4520, 4610, 4710, 4720 Replaces R198623			
 <p>LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMTL5650	\$ 108.00	
 <p>LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMAH207788	\$ 54.00	




John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 820, 830, 920, 930, 1010, 1020, 1030, 1120, 1130, 1520, 1530, 1630, 1640, 1830, 2010, 2020, 2030, 2040, 2040S, 2120, 2130, 2140, 2150, 2155, 2240, 2255, 2350, 2355, 2355N, 2440, 2510, 2520, 2550, 2555, 2630, 2640, 2750, 2755, 2840, 2855, 2940, 2950, 2955, 3010, 3020, 3020, 3030, 3040, 3055, 3130, 3140, 3155, 3255, 4000, 4010, 4020, 4030, 4040, 4050, 4230, 4240, 4250, 4320, 4430, 4440, 4450, 4520, 4620, 4630, 4640, 4650, 4840, 4850, 5010, 5020, 6030, 7020, 8430, 8630, Utility: 820, 830, 920, 930, 2240 Replaces AR85262, AR85859, RE19080			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels</p>	AMTL2060	\$ 115.00	
 <p>LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights</p>	AMAR85859	\$ 103.00	
 <p>Headlight Sealed Beam, 12 Volt, 2-Wire</p>	AMRE25126	\$ 55.00	
Application: 720, 730, 1030, 1130, 1630, 1640, 1830, 2030, 2040, 2130, 2140, 2350, 2510, 2750, 2940, 2950, 3010, 3020, 3040, 3150, 4000, 4020, 4030, 4050, 4230, 4250, 4430, 4440, 4450, 4620, 4630, 4640, 4840, 5010, 5020, 7020, 8430, 8440, 8640, Utility: 2240, 4500			
 <p>Halogen Floodlight, Sealed Beam 4.50" Diameter Round Light 2-Terminal Connection For 12 Volt Systems Replaces A47179, AR104119, E3NN15330AA</p>	AMH7606	\$ 13.00	
Application: 4560, 4760, 4960, 9100, 9200, 9300, 9300T, 9400, 9400T Replaces RE65223, RE65423			
 <p>LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector and Adapter, Plug-and-Play</p>	AMTL9020	\$ 114.00	
 <p>LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMRE46298	\$ 102.00	


John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 6105M, 6105R, 6110M, 6110R, 6115M, 6115R, 6120M, 6120R, 6125M, 6125R, 6130M, 6130R, 6135M, 6140M, 6140R, 6145M, 6145R, 6150M, 6150R, 6155M, 6155R, 6155RH, 6170M, 6170R, 6175M, 6175R, 6190R, 6195M, 6195R, 6210R, 6215R, 6230R, 6250R, 7200R, 7210R, 7215R, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 7R 210, 7R 230, 7R 250, 7R 270, 7R 290, 7R 310, 7R 330, 7R 350, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8310R, 8310RT, 8320R, 8320RT, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400R, 9360R, 9370R, 9410R, 9420R, 9420RX, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9560R, 9560RT, 9570R, 9570RT, 9570RX, 9620R, 9620RX			
 LED Headlight Floodlight Large Round 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems	AMTL8620	\$ 140.00	
 LED Headlight Floodlight Small Round 2200 Lumens, 20 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems	AMTL8630	\$ 107.00	
Application: 6105M, 6105R, 6110M, 6110R, 6115M, 6115R, 6120M, 6120R, 6125M, 6125R, 6130M, 6130R, 6140M, 6140R, 6145M, 6145R, 6150M, 6150R, 6150RH, 6155M, 6155R, 6155RH, 6170M, 6170R, 6175M, 6175R, 6190R, 6195M, 6195R, 6210R, 6215R Replaces AL209455			
 LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 32 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Replaces the factory bulb/housing Plug-and-Play Installation	AMTL6020	\$ 115.00	
 LED Headlight Front Mount 3.37" Diameter Round Light 3200 Lumens, 40 Watts, 2.60 Amps For 12 Volt to 24 Volt Systems Will Bolt into Factory Light Housing Plug-and-Play Installation	AMX34172	\$ 103.00	

John Deere®—Tractor








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930				
	LED Headlight, Right Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205362	AMTL7830R	\$ 130.00	
	LED Headlight, Left Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205361	AMTL7830L	\$ 130.00	
	LED Headlight, Right Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205362	AMRE181913	\$ 90.00	
	LED Headlight, Left Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205361	AMRE181916	\$ 90.00	
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems Replaces AT135485, AT135486, AT305931, AT443223, AT443224	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.






John Deere®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket Replaces AT135485, AT135486, AT443223	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces AF3892R, AT25451, RE285628, RE336111, RE561116, RE561117	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces AF3892R, AT25451, RE285628, RE336111, RE561116, RE561117	AMRE336111	\$ 45.00	
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
Application:	Most Models			
	LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
Application:	Most Models Replaces AT305931, AT443223, AT443224			
	LED Wide Floodlight, Compact 4.25" x 4.50" x 3" Round Light 6900 Lumens, 50 Watts, 4.10 Amps 90° Flood Pattern For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500WF	\$ 135.00	







John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 2140, 2350, 2355, 2550, 2555, 2750, 2755, 2855N, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4040S, 4050, 4055, 4240S, 4250, 4255, 4350, 4450, 4455, 4560, 4650, 4760, 4850, 4960, 7520, 8430, 8440, 8450, 8560, 8570, 8630, 8640, 8650, 8760, 8770, 8850, 8870, 8960, 8970, 9100, 9200, 9300, 9300T, 9400, 9400T			
 <p>LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1440 Lumens, 18 Watts, 1.60 Amps Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, 2-terminal connection, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces RE285628</p>	AMRE336112	\$ 40.00	
Application: 2350, 2355, 2510, 2550, 2555, 2750, 2755 GPT, 2855N, 2940, 2950, 2955 BSN 765516, 3020, 3055, 3150, 3155, 3255, 4000, 4010, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4430, 4440, 4450, 4455, 4520, 4555, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5020, 5200, 5300, 5400, 5500, 6030, 7020, 7520, 8430, 8440, 8640, 8650, 8850 Replaces AR85260, RE10965, RE12718			
 <p>LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMX34183	\$ 118.00	
Application: 4040, 4050, 4055, 4240, 4250, 4255, 4440, 4450, 4455, 4555, 4560, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 6110, 6200, 6210, 6300, 6310, 6400, 6410, 6500, 7200, 7210, 7400, 7410, 7510, 7600, 7610 BSN 089999, 7700, 7710, 7800, 7810, 8100, 8100T, 8110, 8110T, 8200, 8200T, 8210, 8210T, 8300, 8300T, 8310, 8310T, 8400, 8400T, 8410, 8410T			
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces R161288, RE37450</p>	AMX34182	\$ 50.00	
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Replaces R161288, RE37450</p>	AMRE306510	\$ 45.00	
Application: 5055E, 5065E, 5075E, 5075M, 5083E, 5083EN, 5085M, 5093E, 5093EN, 5100, 5100MH, 5101E, 5101EN, 5115M, 5220, 5225, 5320, 5325, 5325N, 5420, 5425, 5425N, 5520, 5525, 5525N, 5603, 5625, 6105M, 6110M, 6115M, 6120, 6120M, 6125M, 6130M, 6140M, 6145M, 6150M, 6155M, 6170M, 6175M, 6195M, 6215, 6220, 6230, 6320, 6320L, 6330, 6415, 6420, 6420L, 6430, 6520L, 6615, 6715, 7130, 7220, 7230, 7320, 7330, 7420, 7520			
 <p>LED Floodlight 4.25" x 4.50" x 3" Oval Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes 2-Terminal Connector, Mounting Bracket and Stainless Steel Hardware Replaces AL150478, AL174341, AL175528, AL175529, AL202742, AL202743, AL205375, RE219708, RE233263</p>	AMTL5670	\$ 118.00	
 <p>LED Floodlight Cab Mount 4.25" x 4.50" x 3" Oval Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes 2-Terminal Connector, Mounting Bracket and Stainless Steel Hardware Replaces AL150478, AL174341, AL175528, AL175529, AL202742, AL202743, AL205375, RE219708, RE233263</p>	AMRE567623	\$ 95.00	






John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 5200, 5210, 5300, 5310, 5400, 5410, 5500, 5510, 6105M, 6110, 6115M, 6120, 6125M, 6200, 6210, 6215, 6220, 6230, 6300, 6310, 6310S, 6320, 6320L, 6330, 6400, 6405, 6410, 6410S, 6415, 6420, 6420L, 6430, 6500, 6510S, 6520L, 6605, 6615, 6715, 7130, 7200, 7210, 7220, 7230, 7320, 7330, 7400, 7410, 7420, 7430, 7510, 7520, 7600, 7610, 7700, 7710, 7800, 7810			
 LED Floodlight, Right Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light Amber Lens, 7 Watts, 0.06 Amp For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Plug-and-Play Installation Replaces RE39582	AMTL7020R	\$ 57.00	
 LED Floodlight, Left Hand Cab Mount 4.75" x 3.25" x 2.50" Rectangle Light, Amber Lens, 7 Watts, 0.06 Amp For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Plug-and-Play Installation Replaces RE39581	AMTL7020L	\$ 57.00	
Application: 6105R, 6110R, (6110M, 6120M, 6130M, 6140M, 6145M, 6155M, 6175M, 6195M - MY20 and Later), 6115R, 6120R, 6125R, 6130R, 6140R, 6145R, 6150R, 6150RH, 6155MH, 6155R, 6155RH, 6170R, 6175R, 6190R, 6195R, 6210M, 6210R, 6215R, 6230R, 6250R, 6R 110, 6R 120, 6R 130, 6R 140, 6R 145, 6R 150, 6R 155, 6R 165, 6R 175, 6R 195, 6R 215, 6R 230, 6R 250, 7200R, 7210R, 7215R, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320R, 8320RT, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400R, 9360R, 9370R, 9410R, 9420R, 9420RX, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9560R, 9560RT, 9570R, 9570RT, 9570RX, 9620R, 9620RX			
 LED Floodlight 6" x 3.80" x 3.50" Oval Light 3200 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems	AMRE269637	\$ 97.00	
Application: 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7800, 7810, 8100, 8100T, 8110, 8110T, 8200, 8200T, 8210, 8210T, 8300, 8300T, 8310, 8310T, 8400, 8400T, 8410, 8410T, 9100, 9200, 9300, 9300T, 9400, 9400T			
 LED Floodlight All-Position Light 4" x 6" Oval Light 2450 Lumens, 24 Watts, 2 Amps Plugs directly into existing wire harness w/ no modifications Replaces RE154900, RE154901, RE154902, RE154903, RE154904, RE154906, RE154908	AMRE154898	\$ 85.00	
Application: 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7800, 7810, 8100, 8100T, 8110, 8110T, 8200, 8200T, 8210, 8210T, 8300, 8300T, 8310, 8310T, 8400, 8400T, 8410, 8410T, 9100, 9200, 9300, 9300T, 9400, 9400T Replaces RE154898, RE154900, RE154901, RE154902, RE154903, RE154904, RE154906			
 LED Floodlight Rectangle Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Includes Interchangeable Mounts	AMTL8400	\$ 120.00	
 LED Floodlight 6" x 4" Rectangle Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems	AMRE154908	\$ 108.00	







John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930, 8120, 8120T, 8130, 8220, 8220T, 8225R, 8230, 8230T, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320, 8320R, 8320RT, 8320T, 8330, 8330T, 8335R, 8335RT, 8345R, 8345RT, 8360RT, 8420, 8420T, 8430, 8430T, 8520, 8520T, 8530, 9120, 9220, 9230, 9320, 9320T, 9330, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T Replaces AH212523, RE336112, RE285628			
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5200 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL5680	\$ 135.00	
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5500 Lumens, 65 Watts For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Connector and Bracket for Plug-and-Play Installation</p>	AMAH212523	\$ 100.00	
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930, 8120, 8120T, 8130, 8220, 8220T, 8225R, 8230, 8230T, 8245R, 8270R, 8295RT, 8320, 8320R, 8320RT, 8320T, 8330, 8330T, 8345R, 8345RT, 8420, 8420T, 8430, 8430T, 8520, 8520T, 8530, 9120, 9220, 9230, 9320, 9320T, 9330, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T Replaces RE173600, RE260102			
 <p>LED Floodlight Hood Mount 6.50" x 4.50" x 4" Oval Light Dual Hi/Lo Beam 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play</p>	AMTL8520S	\$ 151.00	
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930, 8120, 8130, 8220, 8230, 8245R, 8270R, 8295R, 8320, 8320R, 8330, 8330T, 8345R, 8420, 8430, 8430T, 8520, 8530			
 <p>LED Headlight Hood Mount 7" x 4.75" x 3.25" Oval Light Dual Hi/Lo Beam 5000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Hardware, Plug-and-Play Replaces RE181963, RE181964, RE205360</p>	AMTL7820	\$ 140.00	
 <p>LED Headlight Hood Mount 7" x 4.75" x 3.25" Oval Light Dual Hi/Lo Beam 5000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Hardware, Plug-and-Play Replaces RE181963, RE181964, RE205360</p>	AMRE181963	\$ 126.00	

John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 8120, 8120T, 8130, 8220, 8220T, 8225R, 8230, 8230T, 8245R, 8270R, 8295R, 8295RT, 8320, 8320T, 8320R, 8320RT, 8330, 8330T, 8345R, 8345RT, 8420, 8420T, 8430, 8430T, 8520, 8520T, 8530, 9120, 9220, 9230, 9320, 9330, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T Replaces RE180613, RE181282, RE271573, RE271574			
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 35 Watt, 2.90 Amps For 12 Volt to 24 Volt Systems Use Original Mount and Wiring, Plug-and-Play</p>	AMTL8220	\$ 121.00	
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 39 Watts, 2.90 Amps For 12 Volt to 25 Volt Systems Includes Connector, Plug-and-Play</p>	AMRE271574	\$ 108.00	
Application: 9100, 9200, 9300, 9300T, 9400, 9400T			
 <p>LED Floodlight Fender Mount 6" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector, Mounting Bracket and Stainless Steel Hardware</p>	AMTL3080	\$ 102.00	
 <p>LED Floodlight Fender Mount 6" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems</p>	AMRE68473	\$ 70.00	
Application: 2155, 2350, 2355, 2355N, 2520, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4000, 4020, 4030, 4040, 4050, 4230, 4240, 4250, 4320, 4430, 4440, 4450, 4620, 4630, 4640, 4650, 4840, 4850, 5020, 6030, 7020, 7520, 8430, 8440, 8450, 8630, 8640, 8650, 8850 Replaces RE25126			
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Screwed Connection for Installation</p>	AMTL3025	\$ 56.00	
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Screwed Connection for Installation</p>	AMAR85263	\$ 40.00	

John Deere®—Tractor



Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 2155, 2350, 2355, 2355N, 2520, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 4000, 4020, 4030, 4040, 4230, 4240, 4320, 4430, 4450, 4620, 4630, 4650, 4850, 6030, 6100, 6500, 6600, 6700, 7020, 7520, 8430, 8440, 8450, 8630, 8640, 8650, 8850			
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light, Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring (Plug-and-Play) Includes Wired Cable for Installation Replaces AR85263, AR85264, AR93335, RE10962, RE10963, RE19081, RE19082, RE25126</p>	AMTL3020	\$ 56.00	
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 1100 Lumens on Low Beam, 2200 on High Beam, 24 Watts, 3 Amps For 12 Volt to 24 Volt Systems Replaces AR85263, AR85264, AR93335, RE10962, RE10963, RE19081, RE19082, RE25126</p>	AMAR48723	\$ 50.00	
Application: 4560, 4760, 4960			
 <p>LED Floodlight/Spotlight Combo Fender Mount 6" x 4" Rectangle Light, Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Bezel Not Included</p>	AMTL6060	\$ 111.00	
Application: 5045D, 5045E, 5055D, 5055E, 5065E, 5065M, 5075E, 5075M, 5076E, 5076EF, 5076EL, 5082E, 5083E, 5083EN, 5085M, 5090E, 5090EH, 5090EL, 5093E, 5093EN, 5095M, 5095MH, 5101E, 5101EN, 5105M, 5105ML, 5225, 5310, 5325, 5325N, 5425, 5425N, 5525, 5525N, 5625, 5725, 5725N, 6100D, 6110D, 6115D, 6120, 6120L, 6125D, 6130D, 6140D, 6140J, 6155J, 6215, 6220, 6220L, 6230, 6320, 6320L, 6330, 6415, 6420, 6420L, 6430, 6520L, 6615, 6645, 6715, 7130, 7220, 7230, 7320, 7330, 7420, 7520 Replaces AL152329, RE269110			
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL6420	\$ 133.00	
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMAL152328	\$ 119.00	
Application: 5085E, 5085M, 5100E, 5100M, 5115M, 6105R, 6110R, 6115R, 6120R, 6125R, 6130R, 6140R, 6145R, 6150R, 6150RH, 6155R, 6155RH, 6170R, 6175R, 6190R, 6195R, 6210R, 6215R, 7200R, 7210R, 7215R, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320R, 8320RT, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400R, 9360R, 9370R, 9410R, 9420R, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9560R, 9560RT, 9570R, 9570RT, 9570RX, 9620R, 9620RX			
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 3" x 3.25" Oval Light 3000 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces RE269640, RE331643, RE573609</p>	AMTL8060	\$ 108.00	
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 3" x 3.25" Oval Light 3000 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces AL207359, RE269640, RE331643, RE573609</p>	AMRE269638	\$ 80.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.




John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 5105, 5200, 5205, 5210, 5220, 5300, 5310, 5320, 5400, 5403, 5410, 5420, 5500, 5510, 5520			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light, Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector, Adapter and Stainless Steel Hardware</p>	AMTL5500	\$ 116.00	
Application: 5105, 6110, 6110L, 6200, 6200L, 6210, 6210L, 6300, 6300L, 6310, 6310L, 6310S, 6400, 6400L, 6405, 6410, 6410L, 6410S, 6500, 6500L, 6510L, 6510S, 6605, 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7800, 7810			
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Adapter and Stainless Steel Hardware Replaces AL75338</p>	AMTL6700	\$ 116.00	
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Adapter and Mounting Hardware</p>	AMAL75338	\$ 104.00	
Application: 6105R, 6110R, 6115R, 6120R, 6125R, 6130R, 6140R, 6145R, 6150R, 6150RH, 6155R, 6155RH, 6170R, 6175R, 6190R, 6195R, 6210R, 6215R, 7200R, 7210R, 7215R, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320R, 8320RT, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400R, 9360R, 9370R, 9410R, 9420R, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9560R, 9560RT, 9570R, 9570RT, 9570RX, 9620R, 9620RX Replaces RE269637, RE331642			
 <p>LED Floodlight/Spotlight Combo Upper Cab Mount 6" x 3" x 3.25" Oval Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Hardware, Plug-and-Play Plastic Bezel Not Included</p>	AMTL8050	\$ 108.00	
 <p>LED Light Upper Cab Mount 6" x 3" x 3.25" Oval Light Plug-and-Play 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Hardware Plastic Bezel Not Included</p>	AMRE331642	\$ 86.00	
Application: 9100, 9200, 9300, 9300T, 9400, 9400T			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring</p>	AMTL9010	\$ 111.00	

John Deere®—Tractor








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
Application:	2010, 2040, 2510, 2520, 2840, 2940, 3010, 3020, 4000, 4010, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4430, 4440, 4450, 4455, 4520, 4555, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5010, 5020, 6030, 7020, 7520, 8440, 8450, 8560, 8570, 8630, 8640, 8650, 8760, 8770, 8850, 8870, 8960, 8970, 9100, 9200, 9300, 9400, Utility: 2240			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111	AMTL3015	\$ 55.00	
Application:	820, 830, 920, 930, 1010, 1020, 1030, 1120, 1130, 1520, 1530, 1630, 1640, 1830, 2010, 2020, 2030, 2040, 2040S, 2120, 2130, 2140, 2150, 2155, 2255, 2350, 2355, 2355N, 2440, 2510, 2520, 2550, 2555, 2630, 2640, 2750, 2755, 2840, 2940, 2950, 2955, 3010, 3020, 3030, 3040, 3130, 3140, 4000, 4010, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4430, 4440, 4450, 4455, 4520, 4555, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5010, 5020, 5200, 5300, 5400, 5500, 6030, 7020, 7520, 8430, 8440, 8450, 8630, 8640, 8650, 8850, Utility: 2240			
	LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces AR85260, RE19079	AMTL2080	\$ 108.00	
	LED Trapezoid Light Cab and Rear Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces AR85260, RE19079	AMAR85260	\$ 97.00	
	LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMRE19079	\$ 106.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Tractor





Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 7630, 7720, 7730, 7820, 7830, 7920, 7930, (8120, 8120T, 8220, 8220T, 8320, 8320T, 8420, 8420T, 8520, 8520T ASN 014367), 8130, 8230, 8230T, 8330, 8330T, 8430T, 8530			
 <p>Nite-Gard® Warning Light Assembly Complete Assembly for Both Sides of the Tractor, Pre-Assembled Extendable Arms from 36"-52" Includes (2) Amber Lens Warning Lights, (2) Universal Breakaway Mounting Brackets, Ag Yellow Reflective Front-Facing Tape, Red Reflective Rear-Facing Tape, Red-Orange Fluorescent Rear-Facing Tape and Mounting Hardware</p>	AMSS3244	\$ 506.50	
Application: 820, 920, 1020, 1120, 1520, 2020, 2120, 2510, 2520, 3020, 4000, 4010, 4020, 4030, 4040, 4050, 4230, 4240, 4250, 4320, 4430, 4440, 4450, 4520, 4620, 4630, 5010, 5020, 7020			
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL2	\$ 67.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX1910149	\$ 60.30	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL3	\$ 76.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX33126	\$ 68.00	
Application: 900HC, 950, 970, 990, 1020, 1250, 1450, 1520, 1530, 1650, 2020, 2030, 2040, 2140, 2150, 2255, 2350, 2355, 2355N, 2440, 2550, 2555, 2630, 2640, 2750, 2755, 2840, 2855, 2855N, 2940, 2950, 2955, 3040, 3055, 3140, 3150, 3155, 3255, 4030, 4040, 4040S, 4050, 4055, 4230, 4240, 4240S, 4250, 4255, 4430, 4440, 4450, 4455, 4555, 4560, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5045E, 5055E, 5065E, 5065M, 5075E, 5075M, 5085M, 5095M, 5095MH, 5100E, 5100M, 5100MH, 5100ML, 5105, 5105M, 5115M, 5115ML, 5200, 5205, 5210, 5220, 5225, 5300, 5310, 5320, 5325, 5400, 5410, 5420, 5425, 5500, 5510, 5520, 5525, 5625, 6100, 6105D, 6105E, 6110, 6110L, 6115D, 6120E, 6200, 6205, 6210, 6210L, 6300, 6310, 6310L, 6400, 6403, 6405, 6410, 6410L, 6500, 6505, 6510L, 6600, 6603, 6605, 7200, 7210, 7220, 7320, 7400, 7405, 7410, 7420, 7505, 7510, 7520, 7600, 7610, 7700, 7710, 7800, 7810, 8430, 8440, 8450, 8560, 8570, 8630, 8640, 8650, 8760, 8770, 8850, 8870, 8960, 8970, Utility: 820, 850, 870, 1050, 1070, 2155, 2240 - All w/ Sound-Gard™ Cab Replaces A187626			
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMX34184	\$ 57.00	
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMAR60250	\$ 40.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 5055E, 5065E, 5065M, 5075E, 5075M, 5076E, 5082E, 5083E, 5083EN, 5085E, 5085M, 5090E, 5090EH, 5093E, 5093EN, 5095M, 5095MH, 5100E, 5100M, 5100MH, 5101E, 5101EN, 5105M, 5115M, 5220, 5225, 5320, 5325, 5325N, 5420, 5425, 5425N, 5520, 5525, 5525N, 5603, 5625, 5725, 6100D, 6105D, 6105E, 6105M, 6110D, 6110M, 6115D, 6115M, 6120, 6120E, 6120M, 6125D, 6125M, 6130D, 6130M, 6135E, 6140D, 6140J, 6140M, 6145M, 6150M, 6155J, 6155M, 6170M, 6175M, 6195M, 6215, 6220, 6230, 6320, 6330, 6403, 6415, 6420, 6430, 6603, 6615, 6715, 7130, 7220, 7230, 7320, 7330, 7420, 7430, 7520, 7530, 7630, 7730, 7830, 7930, 8130, 8230, 8230T, 8330, 8330T, 8430, 8430T, 8530, 9120, 9220, 9230, 9320, 9320T, 9330, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T, Utility: 3033R, 3039R, 3046R, 3320, 3520, 3720, 4044R, 4052R, 4066R, 4320, 4520, 4720			
 <p>LED Warning Light Floodlight 6.75" x 4" x 2.75" Rectangle Light Amber Lens, 11 Watts, 0.90 Amp For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces AT151873, AT326622</p>	AMTL8020	\$ 60.00	
 <p>LED Warning Light Floodlight 6.75" x 4" x 2.75" Rectangle Light Amber Lens, 11 Watts, 0.90 Amp For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces AT151873, AT326622</p>	AMRE217551	\$ 48.00	
Application: 5090R, 5100R, 5115R, 5125R, 6105R, 6110R, 6115R, 6120R, 6125R, 6130R, 6140R, 6145R, 6150R, 6150RH, 6155R, 6155RH, 6170R, 6175R, 6190R, 6195R, 6210R, 6215R, 7200R, 7210R, 7215R, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 8225R, 8235R, 8245R, 8260R, 8270R, 8285R, 8295R, 8295RT, 8310R, 8310RT, 8320R, 8320RT, 8335R, 8335RT, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400R, 9360R, 9370R, 9410R, 9420R, 9420RX, 9460R, 9460RT, 9470R, 9470RT, 9470RX, 9510R, 9510RT, 9520R, 9520RT, 9520RX, 9560R, 9560RT, 9570R, 9570RT, 9570RX, 9620R, 9620RX			
 <p>LED Warning Light Cab Mount Floodlight/Spotlight Combo 6" x 3" x 3.25" Oval Light 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Polycarbonate Lens w/ Amber Bulb Aluminum Housing, Plug-and-Play Includes Plastic Bezel Uses Original Hardware Replaces AT151873, AT326622</p>	AMTL8070	\$ 108.00	
 <p>LED Warning Light Cab Mount Floodlight/Spotlight Combo 6" x 3" x 3.25" Oval Light 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Polycarbonate Lens w/ Amber Bulb Aluminum Housing, Plug-and-Play Includes Plastic Bezel Uses Original Hardware Replaces AT151873, AT326622</p>	AMRE269636	\$ 97.00	

John Deere®—Tractor




Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.










John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4430, 4440, 4450, 4455, 4555, 4560, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 6105M, 6105R, 6110M, 6110R, 6115M, 6115R, 6120, 6120M, 6120R, 6125M, 6125R, 6130M, 6130R, 6140M, 6140R, 6145M, 6145R, 6150M, 6150R, 6150RH, 6155M, 6155R, 6155RH, 6170M, 6170R, 6175M, 6175R, 6190R, 6195M, 6195R, 6210R, 6215, 6215R, 6220, 6230, 6320, 6330, 6415, 6420, 6430, 6615, 6715, 7130, 7200, 7200R, 7210, 7210R, 7215R, 7220, 7320, 7230R, 7250R, 7260R, 7270R, 7280R, 7290R, 7310R, 7400, 7410, 7420, 7430, 7510, 7520, 7530, 7600, 7610, 7630, 7700, 7710, 7720, 7730, 7800, 7810, 7820, 7830, 7920, 7930, 8100, 8100T, 8110, 8110T, 8120, 8120T, 8130, 8200, 8200T, 8210, 8210T, 8220, 8220T, 8225R, 8230, 8235R, 8245R, 8260R, 8270R, 8295R, 8295RT, 8300, 8300T, 8310, 8310R, 8310RT, 8310T, 8320, 8320R, 8320RT, 8320T, 8330, 8330T, 8335R, 8345R, 8345RT, 8360R, 8360RT, 8370R, 8370RT, 8400, 8400R, 8400T, 8410, 8410T, 8420, 8420T, 8430, 8440, 8450, 8520, 8520T, 8530, 8560, 8630, 8640, 8760, 8850, 8960, 9360R, 9410R, 9460R, 9510R, 9560R			
	LED Amber Light, Rear Extremity Arm 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes (2) Mounting Brackets and 1/2" bolt mount option Replaces RE284891, RE250561, RE172010, RE193222, RE199920, RE250562	AMTL2030	\$ 58.00
	LED Amber Light, Rear Extremity Arm 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes (2) Mounting Brackets and 1/2" bolt mount option Replaces RE284891, RE250561, RE172010, RE193222, RE199920, RE250562	AMRE284891	\$ 52.00
Application: (6100D, 6110D, 6115D, 6125D, 6130D, 6140D BSN 050001), (6110, 6210, 6310, 6410 - w/ Cab or ASN 294394 w/ 2-Post Canopy Top), 6120M, 6130M, 6200, (6210L, 6310L, 6410L, 6510L ASN 294394), 6230, 6300, 6310S, 6330, 6400, 6410S, 6510S, 7600, 7610, 7700, 7710, 7800, 7810, 8100, 8200, 8300, 8400			
	Tail Light Assembly	AMAL112964	\$ 63.80
Application: 2140, 2350, 2355, 2510, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3020, 3040, 3055, 3140, 3150, 3155, 3255, 4000, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4430, 4440, 4455, 4520, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5020, 5210, 5310, 5410, 5510, 6030, 7020, 7520, 8430, 8440, 8450, 8630, 8640, 8650, 8850			
	LED Tail Light Oval Light, Red Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces RE39223	AMAR78825	\$ 46.00

John Deere®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
Application:	7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7720, 7800, 7810, 7815, 7820, 7920, 8100, 8100T, 8110, 8110T, 8120, 8120T, 8200, 8200T, 8210, 8210T, 8220, 8220T, 8300, 8300T, 8310, 8310T, 8320, 8320T, 8400, 8400T, 8410, 8410T, 8420, 8420T, 8520, 8520T, 9100, 9120, 9200, 9220, 9300, 9300T, 9320, 9320T, 9400, 9400T, 9420, 9420T, 9520, 9520T, 9620, 9620T			
	LED Corner Floodlight Cab Mount 8.75" x 4" Flashing Corner Light, Polycarbonate Amber Lens 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Replaces RE55150, TL8040	AMTL8045	\$ 66.00	
Application:	7200, 7210, 7400, 7410, 7510, 7600, 7610, 7700, 7710, 7720, 7800, 7810, 7815, 7820, 7920, 8100, 8100T, 8110, 8110T, 8120, 8120T, 8200, 8200T, 8210, 8210T, 8220, 8220T, 8300, 8300T, 8310, 8310T, 8320, 8320T, 8400, 8400T, 8410, 8410T, 8420, 8420T, 8520, 8520T, 9100, 9120, 9200, 9220, 9300, 9300T, 9320, 9320T, 9400, 9400T, 9420, 9420T, 9520, 9520T, 9620, 9620T Replaces RE55151			
	LED Corner Floodlight Cab Mount 8.75" x 4" Flashing Corner Lights, Amber Lenses Each Light is 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Replaces RE55151, TL8040, TL8045	AMRE55150	\$ 59.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.


John Deere®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger</p>	AMTL2460	\$ 89.00	
Application: 6010, 6100, 6110, 6110L, 6200, 6200L, 6205, 6210, 6210L, 6300, 6300L, 6310, 6310L, 6310S, 6400, 6400L, 6405, 6410, 6410L, 6410S, 6500, 6500L, 6505, 6506, 6510, 6510L, 6510S, 6600, 6610, 6800, 6810, 6900, 6910, 6910S, 7200, 7210, 7400, 7410, 7510			
 <p>LED Work Light, Right Hand Floodlight Pattern 3000 Lumens, 30 Watts, 2.50 Amps 3.25" x 4.75" x 4.50" For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Uses Original Mount and Wiring Replaces AL78178</p>	AMTL7210R	\$ 98.00	
 <p>LED Work Light, Left Hand Floodlight Pattern 3000 Lumens, 30 Watts, 2.50 Amps 3.25" x 4.75" x 4.50" For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware Uses Original Mount and Wiring Replaces AL78177</p>	AMTL7210L	\$ 98.00	
Application: 4055, 4255, 4455, 4560, 4760, 4960			
 <p>Light Bezel Made from Billet Aluminum, Silver Powder Coat Finish</p>	AMR98630	\$ 20.00	
Application: 2040, 2140 Late, 2150, 2255, 2350, 2355N, 2440, 2550, 2630, 2640, 2750, 2755, 2840, 2940, 2950, 2955, 3055, 3140, 3155, 3255, 4030, 4040, 4230, 4240, 4430, 4440, 4630, 4640, 4840, 5103 BSN 009422, 5105, 5200, 5203 BSN 005261, 5205, 5210, 5300, 5303 BSN 005763, 5310, 5310N, (5320N, 5420N, 5520N - w/ Cab), 5400, 5400N, 5410, 5500, 5500N, 5510, 5510N, Utility: 2155, 2240			
 <p>Control Switch, Turn Signal Replaces AR67398</p>	AMAR64422	\$ 72.00	
Application: 2640			
 <p>Control Switch, Flashing Warning Light Replaces AR67398</p>	AMAR64422	\$ 72.00	
Application: 2520, 3020 ASN 123000, 4000, 4020, 4030, 4040, 4050, 4055, 4230, 4240, 4240S, 4250, 4255, 4320, 4350, 4430, 4440, 4450, 4455, 4520, 4555, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5020 ASN 025000, 6030, 7020, 7520, 8430, 8440, 8450, 8560, 8570, 8630, 8640, 8650, 8760, 8770, 8850, 8870, 8960, 8970			
Dimmer Switch	AMAR48725	\$ 25.00	

John Deere®—Tractor








Lighting (...continued)

Description		Part Number	Retail Price	Core
	Application: A, AO, AR, B, BO, BR, D, G, H, LA Replaces AL2857T, TO7524, VTA463			
	Light Switch	AM70208197	\$ 18.00	
Application: 2140, 2155, 2350, 2355, 2355N, 2520, 2550, 2555, 2750, 2755, 2855N, 2940, 2950, 2955, 3020, 3040, 3055, 3140, 3150, 3155, 3255, 4000, 4020, 4030, 4040, 4040S, 4050, 4055, 4230, 4240, 4250, 4255, 4320, 4350, 4430, 4440, 4450, 4455, 4520, 4555, 4560, 4620, 4630, 4640, 4650, 4755, 4760, 4840, 4850, 4955, 4960, 5020, 6030, 7020, 7520, 8430, 8440, 8450, 8630, 8640, 8650, 8850				
	Light Switch Knob	AMAR54445	\$ 10.80	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine

Lighting

Description	Part Number	Retail Price	Core
Application: 9560SH, 9570STS, 9660, 9670STS, 9770STS, 9860STS, Forage Harvesters: 7200, 7300, 7400, 7500, Sprayers: 710, 4920, 4930			
 <p>Replacement Bulb</p>	AMRE179326	\$ 9.50	
Application: 9560, 9560SH, 9560STS, 9570STS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, Cotton Pickers: 7460, 7660, 7760, 9960, CP690, CS690, Sprayers: 4720, 4730, 4830, 4920, 4930, Swathers: 4895, 4995, A400, D450, R450			
 <p>LED Floodlight Conversion Kit (2) 6.50" x 4.50" Oval Lights, Each Light is 5000 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets, Stainless Steel Hardware and Wiring Harness (Plug-and-Play)</p>	AMTL8320-KIT	\$ 386.00	
Application: 9450, 9500, 9510, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS, CTS			
 <p>LED Floodlight/Spotlight Combo Kit Includes (6) Combo Lights, Stainless Steel Hardware and Connector 4" x 6" Rectangle Combo Lights Each Light is 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring</p>	AMX34185	\$ 599.00	
Application: 9400, 9410, 9450, 9500, 9550SH, 9510, 9550, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS			
 <p>LED Light Kit Includes (8) LED Floodlight/Spotlight Combo Lights* and (6) LED Floodlights** For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring *3500 Lumens, 60 Watts, 5 Amps **2900 Lumens, 35 Watts, 2.90 Amps</p>	AMTLJDKIT4	\$ 1,461.00	
 <p>LED Light Kit Includes (8) LED Floodlight/Spotlight Combo Lights* and (6) LED Floodlights** For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring *3500 Lumens, 60 Watts, 5 Amps **2900 Lumens, 35 Watts, 2.90 Amps</p>	AMX34210	\$ 1,314.00	
Application: 9560, 9560SH, 9560STS, 9570STS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS			
 <p>LED Light Kit Includes (6) Cab Mount LED Floodlights*, (2) Cab Mount LED Floodlight/Spotlight Combo Lights**, (6) LED Work Lights***, Connectors and Stainless Steel Mounting Hardware *5200 Lumens, 65 Watts, 5.40 Amps **3500 Lumens, 60 Watts, 5 Amps ***2900 Lumens, 35 Watts, 2.90 Amps</p>	AMTLJDKIT5	\$ 1,606.00	
 <p>LED Light Kit Includes (6) Cab Mount LED Floodlights*, (2) Cab Mount LED Floodlight/Spotlight Combo Lights**, (6) LED Work Lights***, Connectors and Stainless Steel Mounting Hardware Uses Original Mount and Wiring *5200 Lumens, 65 Watts, 5.40 Amps **3500 Lumens, 60 Watts, 5 Amps ***2900 Lumens, 35 Watts, 2.90 Amps</p>	AMX34160	\$ 1,445.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine









Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: S550, S650, S660, S670, S670HM, S680, S680HM, S690, S690HM, S760, S770, S780, S790, T550, T560, T660, T670			
 <p>LED Light Kit Includes (4) Cab Mount LED Headlights*, (4) Cab Mount LED Floodlight/Spotlight Combo Lights**, (2) Cab Mount LED Floodlight/Spotlight Combo Lights***, (6) LED Work Lights****, Connectors and Stainless Steel Mounting Hardware *2200 Lumens, 30 Watts, 2.50 Amps **3000 Lumens, 40 Watts, 3.30 Amps ***3500 Lumens, 60 Watts, 5 Amps ****2900 Lumens, 35 Watts, 2.90 Amps</p>	AMTLJDKIT6	\$ 1,630.00	
 <p>LED Light Kit Includes (4) Cab Mount LED Headlights*, (4) Cab Mount LED Floodlight/Spotlight Combo Lights**, (2) Cab Mount LED Floodlight/Spotlight Combo Lights***, (6) LED Work Lights****, Connectors and Stainless Steel Mounting Hardware *2200 Lumens, 30 Watts, 2.50 Amps **3000 Lumens, 40 Watts, 3.30 Amps ***3500 Lumens, 60 Watts, 5 Amps ****2900 Lumens, 35 Watts, 2.90 Amps</p>	AMX34161	\$ 1,467.00	
Application: 9560, 9560SH, 9560STS, 9570STS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS Replaces R198623			
 <p>LED Conversion Light Stubble Light 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors</p>	AMTL5650	\$ 108.00	
Application: S550 SN 745100-764999, (S650, S670HM, S680HM ASN 765000), (S660, S670, S680, S690 ASN 745100), S690HM SN 745101-765000, S760, S770, S780, S785, S790, T550, T560, T660, T670, Forage Harvesters: (8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800 SN 513822-619999), (9600, 9700, 9800, 9900 SN 619000-619999)			
 <p>LED Headlight 3.30" Round Light 2200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Includes Swivel Mounting Bracket and Hardware Plug-and-Play for Direct Replacement</p>	AMTL8090	\$ 102.00	
 <p>LED Headlight 3.30" Round Light 2200 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Includes Swivel Mounting Bracket and Hardware Plug-and-Play</p>	AMAXE20661	\$ 91.00	
Application: Forage Harvesters: 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980 Replaces AX41570			
 <p>LED Headlight Flush Mount Floodlight/Spotlight Combo 7.25" x 3.25" x 3.25" Rectangle Light 3500 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems</p>	AMTL9090	\$ 118.00	
 <p>LED Headlight Flush Mount Floodlight/Spotlight Combo 7.25" x 3.25" x 3.25" Rectangle Light 3500 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems</p>	AMAZ41570	\$ 94.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Sprayers: 4720, 4730, 4830				
	LED Headlight Hood Mount 7" x 4.75" x 3.25" Oval Light Dual Hi/Lo Beam 5000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Hardware, Plug-and-Play Replaces RE181963, RE181964, RE205360	AMTL7820	\$ 140.00	
	LED Headlight Hood Mount 7" x 4.75" x 3.25" Oval Light Dual Hi/Lo Beam 5000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Hardware, Plug-and-Play Replaces RE181963, RE181964, RE205360	AMRE181963	\$ 126.00	
	LED Headlight, Right Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205362	AMTL7830R	\$ 130.00	
	LED Headlight, Left Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205361	AMTL7830L	\$ 130.00	
	LED Headlight, Right Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205362	AMRE181913	\$ 90.00	
	LED Headlight, Left Hand Outside Corner Mount 6.50" x 4.75" x 2.75" Oval Light 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Replaces RE205361	AMRE181916	\$ 90.00	
Application: Sprayers: 4940, R4023, R4030, R4038, R4044, R4045, R4060				
	LED Headlight Floodlight Large Round 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems	AMTL8620	\$ 140.00	
	LED Headlight Floodlight Small Round 2200 Lumens, 20 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems	AMTL8630	\$ 107.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems Replaces AT135485, AT135486, AT305931, AT443223, AT443224	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Replaces AF3892R, AT25451, RE285628, RE336111, RE561116, RE561117	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces AF3892R, AT25451, RE285628, RE336111, RE561116, RE561117	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine








Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 3300, 6600, 6602, 6620, 7700, 7720, 8820			
 <p>LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1440 Lumens, 18 Watts, 1.60 Amps Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, 2-terminal connection, Operating temperature of -40°F to 140°F / -40°C to 60°C Replaces RE285628</p>	AMRE336112	\$ 40.00	
Application: 4400, 6620, 6622, 7720			
 <p>Halogen Floodlight, Sealed Beam 4.50" Diameter Round Light 2-Terminal Connection For 12 Volt Systems Replaces A47179, AR104119, E3NN15330AA</p>	AMH7606	\$ 13.00	
Application: 9560, 9560SH, 9560STS, 9570STS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, Cotton Pickers: 7660, 7760, 9996, CP690, CS690, Cotton Stripper: 7460, Sprayers: 4710, 4720, 4730, 4830, 4920, 4930, 4940, Swathers: 4895, 4995, A400, D450, R450 Replaces AH212523, RE336112, RE285628			
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5200 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL5680	\$ 135.00	
 <p>LED Floodlight Upper Front and Rear Cab, Rear Fender and Mid Mount 6.50" x 4" Oval Light 5500 Lumens, 65 Watts For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes Connector and Bracket for Plug-and-Play Installation</p>	AMAH212523	\$ 100.00	
Application: 9780CTS, Forage Harvesters: 7180, 7200, 7250, 7280, 7300, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, Sprayers: 4630, R4023, R4030, R4038, R4045			
 <p>LED Floodlight 4.25" x 4.50" x 3" Oval Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes 2-Terminal Connector, Mounting Bracket and Stainless Steel Hardware Replaces AL150478, AL174341, AL175528, AL175529, AL202742, AL202743, AL205375, RE219708, RE233263</p>	AMTL5670	\$ 118.00	
 <p>LED Floodlight Cab Mount 4.25" x 4.50" x 3" Oval Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Housing Has Powder Coat Finish Includes 2-Terminal Connector, Mounting Bracket and Stainless Steel Hardware Replaces AL150478, AL174341, AL175528, AL175529, AL202742, AL202743, AL205375, RE219708, RE233263</p>	AMRE567623	\$ 95.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9760STS, 9770STS, 9860STS, 9870STS, S550, S650 ASN 765000, (S660, S670, S680, S690 ASN 745100), (S670HM, S680HM BSN 765000), S690HM SN 745101-765000, S760, S770, S780, S785, S790, T550, T560, T660, T670 Replaces AH207788, AXE16947, AXE40244			
 <p>LED Floodlight 5.75" x 3.75" x 3" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Mounting Hardware and Mounting Bracket</p>	AMTL5655	\$ 108.00	
 <p>LED Floodlight 5.75" x 3.75" x 3" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Mounting Hardware and Mounting Bracket</p>	AMAXE40244	\$ 55.00	
Application: Cotton Pickers: 7445, 7450, 7455, 7460, 7660, 7760, 9935, 9965, 9970, 9976, 9986, 9996, CP690, Cotton Stripper: CS690, Sprayers: 4700, 4710, 6700 Replaces AT208435, AT226338, R54411, R54412			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AM92269C1	\$ 95.00	
Application: Cotton Stripper: 7460, Sprayers: 4700, 4710			
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces R161288, RE37450</p>	AMX34182	\$ 50.00	
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Replaces R161288, RE37450</p>	AMRE306510	\$ 45.00	
Application: Sprayers: 4700, 4710, Swathers: 4890, 4895, 4990, 4995			
 <p>LED Floodlight All-Position Light 4" x 6" Oval Light 2450 Lumens, 24 Watts, 2 Amps Plugs directly into existing wire harness w/ no modifications Replaces RE154900, RE154901, RE154902, RE154903, RE154904, RE154906, RE154908</p>	AMRE154898	\$ 85.00	







John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Sprayers: 4700, 4710, Swathers: 4890, 4895, 4990, 4995 Replaces RE154898, RE154900, RE154901, RE154902, RE154903, RE154904, RE154906			
 <p>LED Floodlight Rectangle Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems Includes Interchangeable Mounts</p>	AMTL8400	\$ 120.00	
 <p>LED Floodlight 6" x 4" Rectangle Light 3200 Lumens, 40 Watts, 3.20 Amps For 12 Volt to 24 Volt Systems</p>	AMRE154908	\$ 108.00	
Application: Sprayers: 4720, 4730, 4830, 4920, 4930 Replaces RE173600, RE260102			
 <p>LED Floodlight Hood Mount 6.50" x 4.50" x 4" Oval Light Dual Hi/Lo Beam 6000 Lumens, 65 Watts, 5.40 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play</p>	AMTL8520S	\$ 151.00	
Application: Sprayers: 4920, 4930 Replaces RE180613, RE181282, RE271573, RE271574			
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 35 Watt, 2.90 Amps For 12 Volt to 24 Volt Systems Use Original Mount and Wiring, Plug-and-Play</p>	AMTL8220	\$ 121.00	
 <p>LED Floodlight Hood Mount 5.50" x 3.75" Oval Light 3000 Lumens, 39 Watts, 2.90 Amps For 12 Volt to 25 Volt Systems Includes Connector, Plug-and-Play</p>	AMRE271574	\$ 108.00	
Application: Sprayers: R4030, R4038, R4044, R4045, R4060			
 <p>LED Floodlight 6" x 3.80" x 3.50" Oval Light 3200 Lumens, 40 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems</p>	AMRE269637	\$ 97.00	








John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 8820, Cotton Pickers: 9900, 9910, 9920, 9930, 9940, 9950			
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light, Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring (Plug-and-Play) Includes Wired Cable for Installation Replaces AR85263, AR85264, AR93335, RE10962, RE10963, RE19081, RE19082, RE25126</p>	AMTL3020	\$ 56.00	
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 1100 Lumens on Low Beam, 2200 on High Beam, 24 Watts, 3 Amps For 12 Volt to 24 Volt Systems Replaces AR85263, AR85264, AR93335, RE10962, RE10963, RE19081, RE19082, RE25126</p>	AMAR48723	\$ 50.00	
Application: 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 8820, Cotton Pickers: 9900, 9910, 9920, 9930, 9940, 9950, Sprayers: 6100, 6500, 6600, 6700			
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Screwed Connection for Installation</p>	AMTL3025	\$ 56.00	
 <p>LED Floodlight/Spotlight Combo Fender Mount 4.50" Sealed Beam Round Light Dual Hi/Lo Beam 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring, Plug-and-Play Screwed Connection for Installation</p>	AMAR85263	\$ 40.00	
Application: 9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550STS, 9560, 9560SH, 9560STS, 9570STS, 9600, 9610, 9650, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9870STS, C670, CTS, S550, S650, S660, S670, S680, S690, Cotton Pickers: 9986, 9996, Forage Harvesters: 7200, 7800, 7950, Swathers: 4890, 4895, 4990, 4995 Replaces AH128328, AH159332, AH159333, AH170565			
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps (4) Required For 12 Volt to 24 Volt Systems Connector Included, Plug-and-Play</p>	AMTL9000	\$ 114.00	
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps (4) Required For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMAH128327	\$ 95.00	






John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: S550, S650, S660, S670, S670HM, S680, S680HM, S690, S690HM, S760, S770, S780, S790, Forage Harvesters: 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, Sprayers: R4023, R4030, R4038, R4045, Swathers: W235, W260			
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 3" x 3.25" Oval Light 3000 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces RE269640, RE331643, RE573609</p>	AMTL8060	\$ 108.00	
 <p>LED Floodlight/Spotlight Combo Cab Mount 6" x 3" x 3.25" Oval Light 3000 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Replaces AL207359, RE269640, RE331643, RE573609</p>	AMRE269638	\$ 80.00	
Application: Forage Harvesters: 610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, Sprayers: 4700, 4710, 4720, 6500, 6600, 6700			
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Adapter and Stainless Steel Hardware Replaces AL75338</p>	AMTL6700	\$ 116.00	
 <p>LED Floodlight/Spotlight Combo Grille Mount 6" x 4" Rectangle Light 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Adapter and Mounting Hardware</p>	AMAL75338	\$ 104.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	







John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 3300, 4400, 4420, 6600, 6602, 6620, 6622, 7700, 7720, 7721, 8820			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111</p>	AMTL3015	\$ 55.00	
 <p>LED Trapezoid Light Cab and Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces AR85260, RE19079</p>	AMTL2080	\$ 108.00	
 <p>LED Trapezoid Light Cab and Rear Fender Mount 4.50" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Bottom Mount w/ Built-In Heat Sink Includes Mounting Bracket, Long and Short Rubber Bezels and Stainless Steel Hardware Replaces AR85260, RE19079</p>	AMAR85260	\$ 97.00	
 <p>LED Floodlight Cab and Fender Mount 4.50" Diameter Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMRE19079	\$ 106.00	
Application: Universal Equipment			
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	









John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 3300, 4400, 4420, 4425, 4435, 6600, 6601, 6602, 6620, 6622, 7700, 7701, 7720, 7721, 8820, Cotton Pickers: 283, 299, 740, 9960, Forage Harvesters: 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830, Swathers: 2280, 2320, 2420, 3430, 3830			
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL2	\$ 67.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX1910149	\$ 60.30	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMTLFL3	\$ 76.00	
 <p>LED Warning Light Cab, Header or Swather Mount Can be used for Turn Signal, Brake or Running Lights 4.125" Diameter Round Light Double Sided, Red and Amber Lenses 25 Bulbs per Side For 12 Volt to 24 Volt Systems</p>	AMX33126	\$ 68.00	
Application: Cotton Pickers: 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965, 9970, Cotton Strippers: 484, 7440, 7445, Sprayers: 6100, 6500, 6600 - All w/ Sound-Gard™ Cab Replaces A187626			
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMX34184	\$ 57.00	
 <p>LED Warning Light Cab Mount 7.75" x 2" Rectangle Light Amber Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Requires 6 Ohm Load Resistor if 4 Lights Are Installed</p>	AMAR60250	\$ 40.00	




John Deere®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
		AMTL2100	\$ 34.00	
		AMTL2000-1	\$ 98.00	
		AMX33131	\$ 85.00	
		AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	











John Deere®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Sprayers: 4630, R4023			
	LED Amber Light, Rear Extremity Arm 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes (2) Mounting Brackets and 1/2" bolt mount option Replaces RE284891, RE250561, RE172010, RE193222, RE199920, RE250562	AMTL2030	\$ 58.00	
	LED Amber Light, Rear Extremity Arm 3000 Lumens, 30 Watts, 3.33 Amps For 12 Volt to 24 Volt Systems Includes (2) Mounting Brackets and 1/2" bolt mount option Replaces RE284891, RE250561, RE172010, RE193222, RE199920, RE250562	AMRE284891	\$ 52.00	
Application:	9660, (S650, S670 BSN 785001), S660 SN 765172-785000, S680, S690 SN 765250-785000, (S760, S770, S780, S790 ASN 1Z0S760XXX110000), Cotton Pickers: 7760, CP690, Cotton Stripper: CS690, Forage Harvesters: 6650, 6750, 6850, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, Sprayers: 4940, R4023, R4030, R4038, R4045, R4060			
	Tail Light Assembly	AMAL112964	\$ 63.80	
Application:	Cotton Pickers: 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965, 9970, Cotton Strippers: 484, 7440, 7445, Forage Harvesters: 5440, 5460, 5720, 5730, 5820, 5830, Sprayers: 6100, 6500, 6600			
	LED Tail Light Oval Light, Red Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces RE39223	AMAR78825	\$ 46.00	

John Deere®—Combine




Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
Application: Sprayers: 4700, 4710				
	LED Corner Floodlight Cab Mount 8.75" x 4" Flashing Corner Lights, Amber Lenses Each Light is 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Replaces RE55151, TL8040, TL8045	AMRE55150	\$ 59.00	
	LED Corner Floodlight Cab Mount 8.75" x 4" Flashing Corner Light, Polycarbonate Amber Lens 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Replaces RE55150, TL8040	AMTL8045	\$ 66.00	
Application: Universal Equipment				
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.








John Deere®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Sprayers			
 <p>LED Blue Work Light 4.25" x 4.50" x 3" Rectangle Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Mounting Bracket</p>	AMTLFL5	\$ 66.00	
<p>LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Spotlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793</p>	AMX34207	\$ 59.40	
<p>LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Floodlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793</p>	AMX34206	\$ 94.50	
Application: 3300 ASN 100000, 4400 ASN 101300, 4420, 6600 ASN 105800, 6620, 7700 ASN 111900, 7720, 8820, Cotton Pickers: 9910, 9920, 9930, 9935, 9940, 9950, 9960, 9965, 9970, 9976, Cotton Strippers: 484, 7440, 7445, 7450, 7455, Forage Harvesters: (5440, 5460 BSN 490001), 5720, 5730, 5820, 5830, Sprayers: 6100, 6500, 6600, Swathers: 2320, 2420, 3430, 3830			
 <p>Control Switch, Turn Signal Replaces AR67398</p>	AMAR64422	\$ 72.00	
Application: Cotton Pickers: 9900, 9910, 9940, 9950, 9960, Forage Harvesters: 5200, 5400, Sprayer: 6000, Swathers: 2280, 2360			
 <p>Control Switch, Flashing Warning Light Replaces AR67398</p>	AMAR64422	\$ 72.00	
Application: Cotton Pickers: 9900, 9910, 9920, 9935, 9950, 9960, 9965, 9970, 9976, Cotton Strippers: 484, 7440, 7445, 7450, 7455, Forage Harvesters: 5730, 5830, 6610, 6650, 6710, 6750, 6810, 6850, 6910, 6950, 7180, 7200, 7250, 7280, 7300, 7350, 7380, 7400, 7450, 7480, 7500, 7550, 7580, 7700, 7750, 7780, 7800, 7850, 7950, 7980, Sprayer: 6000 Hi-Cycle			
Dimmer Switch	AMAR48725	\$ 25.00	
Application: 3300, 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700, 7720, 8820, Cotton Pickers: 9900, 9910, 9920, 9930, 9940, 9950, 9960, Cotton Strippers: 484, 7440, 7445, Forage Harvesters: 5200, 5400, Sprayer: 6000 Hi-Cycle			
Light Switch Knob	AMAR54445	\$ 10.80	

John Deere®—Industrial/Construction


Lighting

Description	Part Number	Retail Price	Core
Application: Compactors: 646, 646B, 646C, Wheel Loaders: 444, 444C, 444CH, 544, 544B, 544C, 644A, 644B, 644C			
 <p>LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1440 Lumens, 18 Watts, 1.60 Amps Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, 2-terminal connection, Operating temperature of -40°F to 140°F / -40°C to 60°C</p>	AMRE336112	\$ 40.00	
Application: Crawlers/Dozers: 450H, 550H, 650H			
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces R161288, RE37450</p>	AMX34182	\$ 50.00	
 <p>LED Floodlight Replacement Hood and Cab Mount 2.49" x 5.44" Rectangle Light 1440 Lumens, 12 Watts, 1 Amp For 12 Volt to 24 Volt Systems Replaces R161288, RE37450</p>	AMRE306510	\$ 45.00	
Application: Excavators: 230LCR, 230LCRD, 330LCR, Wheel Loaders: 444H, 444J, 544H, 544J, 624H, 624J, 644H, 644J, 724J, 744H, 744J, 824J, TC44H, TC54H, TC62H Replaces AT208435, AT226338, R54411, R54412			
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AMTL3030	\$ 106.00	
 <p>LED Floodlight Lower Front, Cab, Fender and ROPS 6" x 3.50" x 3" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play</p>	AM92269C1	\$ 95.00	
Application: Backhoe-Loaders: 310G, 310J, 310K, 310L, 310SG, 310SJ, 310SK, 310SL, 315SG, 410J, 410K, 410L, 710G, 710J, 710K, 710L			
 <p>LED Warning Light Floodlight 6.75" x 4" x 2.75" Rectangle Light Amber Lens, 11 Watts, 0.90 Amp For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces AT151873, AT326622</p>	AMTL8020	\$ 60.00	
Application: Backhoe-Loaders: 310G, 310J, 310K, 310L, 310SG, 310SJ, 310SK, 310SL, 315SG, 410J, 410K, 410L, 710G, 710J, 710K, 710L			
 <p>LED Warning Light Floodlight 6.75" x 4" x 2.75" Rectangle Light Amber Lens, 11 Watts, 0.90 Amp For 12 Volt to 24 Volt Systems Plug-and-Play for Direct Replacement Includes Stainless Steel Hardware Replaces AT151873, AT326622</p>	AMRE217551	\$ 48.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

John Deere®—Industrial/Construction

Lighting (...continued)










Description		Part Number	Retail Price	Core
Application:	Backhoe-Loader: 500B			
	LED Tail Light	AMAR78825	\$ 46.00	
	Oval Light, Red Lens			
	9 Watts, 0.75 Amp			
	For 12 Volt to 24 Volt Systems			
	Replaces RE39223			
Application:	Graders: 670, 670A, 672A, 770, 770A, 770AH, 772, 772AH			
	Dimmer Switch	AMAR48725	\$ 25.00	

Lighting

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Kubota®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Kubota®—Tractor


Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Kubota®—Tractor






Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Magnetic Work Light	AMTL2460	\$ 89.00	
	All-Position Light			
	3.25" Square Floodlight			
	900 Lumens			
	3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern			
Magnetic Base				
Includes Lithium Ion Battery, Cigarette Lighter and DC Charger				

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.







Massey Ferguson®—Tractor

Lighting

Description	Part Number	Retail Price	Core
Application: 4707, 4708, 5610, 6614, 6615, 6616, 7614, 7615, 7616, 7618, 7620, 7622, 7624, 7626, 7714, 7715, 7716, 7718, 7719, 7720, 7722, 7724, 7726, 8650, 8660, 8670, 8680, 8690, 8727, 8730, 8732, 8735, 8737 Replaces 3788699M93, 4291311M91			
 LED Conversion Light Front Handrail Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors	AMTL5650	\$ 108.00	
 LED Conversion Light Front Handrail Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors	AMAH207788	\$ 54.00	
Application: 5425, 5435, 5445, 5450, 5455, 5460, 5465, 5470, 5475, 5480, 5609, 5610, 5611, 5612, 5613, 6350, 6360, 6445, 6455, 6460, 6465, 6475, 6480, 6485 Replaces 3788699M93, 4291311M91			
 LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors	AMTL5650	\$ 108.00	
 LED Conversion Light Rear Fender Mount 5.75" x 3.75" Oval Light 2900 Lumens, 35 Watts, 2.90 Amps For 12 Volt to 24 Volt Systems Includes Bracket and Connectors	AMAH207788	\$ 54.00	
Application: 5425, 5435, 5445, 5450, 5455, 5460, 5465, 5470, 5475, 5480, 5609, 5610, 5611, 5612, 5613, 5709S, 5709SL, 5710S, 5710SL, 5711SL, 5712SL, 5713S, 5713SL, 6350, 6360, 6445, 6455, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 6614, 6615, 6616, 6712S, 6713S, 6714S, 6715S, 6716S, 6718S, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499, 7615, 7618, 7714, 7714S, 7715, 7715S, 7716, 7716S, 7718, 7718S			
 LED Flush Mount Cab Light Oval Light Cab Mount 6.50" x 4.75" x 2.75" 2000 Lumens, 30 Watts, 2.50 Amps For 12 Volt to 24 Volt Systems Plug-and-Play Uses Original Mounting Bracket Includes two connectors to work on lights that have two bulbs in one housing, and an adapter to work on single bulb lights Replaces 786664M92, 3786665M93	AMTL7090	\$ 107.00	

Massey Ferguson®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 135, 150, 165, 175, 180, 235, 245, 255, 265, 275, 285, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 2640, 2675, 2705, 2745, 2775, 2805, 3505, 3525, 3545, 4WD: 1500, 1505, 1800, 1805 Replaces 505282M91, 505281M91, 509652M91, 509651M91			
 LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels	AMTL2060	\$ 115.00	
 LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
 Headlight Sealed Beam, 12 Volt, 2-Wire	AMRE25126	\$ 55.00	
Application: 4225, 4235, 4240, 4245, 4255, 4260, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 6140, 6150, 6170, 6180, 6190, 6235, 6245, 6255, 6265, 6270, 6280, 6290, 8120, 8140, 8150, 8160, 8210, 8220, 8240, 8250, 8260, 8270, 8280 Replaces 3713134M91			
 LED Headlight Flush Mount Floodlight/Spotlight Combo 7.25" x 3.25" x 3.25" Rectangle Light 3500 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems	AMTL9090	\$ 118.00	
 LED Headlight Flush Mount Floodlight/Spotlight Combo 7.25" x 3.25" x 3.25" Rectangle Light 3500 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems	AMAZ41570	\$ 94.00	
Application: 135			
 Halogen Floodlight, Sealed Beam 4.50" Diameter Round Light 2-Terminal Connection For 12 Volt Systems Replaces A47179, AR104119, E3NN15330AA	AMH7606	\$ 13.00	

Massey Ferguson®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.









Massey Ferguson®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: 6235, 6245, 6255, 6265, 6270, 6280, 6290  <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.33 Amps Includes Connector for plug-and-play installation</p>	AM92266C2	\$ 94.00	
Application: 6235, 6245, 6255, 6265, 6270, 6280, 6290 Replaces 3781544M1, 3900811M91, 3900812M91  <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AMTL3070	\$ 105.00	
 <p>LED Floodlight Side Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Swivel Mounting Bracket and Hardware</p>	AM92266C1	\$ 85.00	
Application: Universal Equipment  <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 8245, 8260, 8270, 8280  <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AMTL6040	\$ 133.00	
<p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AM72514546	\$ 119.00	












Massey Ferguson®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	
Application: 10, 20, 30, 31, 40, 50, 60, 70, 80, 135, 150, 165, 175, 180, 230, 240, 245, 250, 255, 270, 275, 285, 290, 298, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805, 2640, 2675, 2705, 2745, 2775, 2805, 3505, 3525, 3545			
 <p>LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2200 Lumens, 24 Watts, 2 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Replaces RE336111</p>	AMTL3015	\$ 55.00	
Application: Universal Equipment			
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	
 <p>Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891</p>	AM82018390	\$ 73.70	
 <p>LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware</p>	AMTL2100	\$ 34.00	
 <p>LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately</p>	AMTL2000-1	\$ 98.00	

Massey Ferguson®—Tractor





Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.


Massey Ferguson®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691</p>	AMTLB440C	\$ 328.00	
 <p>LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger</p>	AMTL2460	\$ 89.00	
Application: 231, 240 ASN A20286, 240P, 261, 271, 281, 282, Ind/Const: 20E, 20F, 25, 30E, 30H, 40E, 50E, 50F, 50H, 50HX, 60H			
 <p>Light Switch Replaces 963757M2, 964248M1, 1425878M91, 1668816M1, 1699034M1</p>	AM1668816M2	\$ 10.00	
Application: TE20, TEA20, TO20, TO30			
 <p>Light Switch Replaces 9N11652, 830517M91</p>	AM9N11652B	\$ 7.00	

Massey Ferguson®—Combine

Lighting

Description		Part Number	Retail Price	Core
Application:	550, 850, 851, 852, 855, 8570, 8780			
	Halogen Floodlight, Sealed Beam 4.50" Diameter Round Light 2-Terminal Connection For 12 Volt Systems Replaces A47179, AR104119, E3NN15330AA	AMH7606	\$ 13.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Massey Ferguson®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.










Massey Ferguson®—Combine

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 8780			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AMTL6040	\$ 133.00	
<p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AM72514546	\$ 119.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	
 <p>LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch</p>	AMTL1200	\$ 215.00	
 <p>Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891</p>	AM82018390	\$ 73.70	

Massey Ferguson®—Combine








Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	



Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

Massey Ferguson®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	
	LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger	AMTL2460	\$ 89.00	
Application:	Universal Sprayers			
	LED Blue Work Light 4.25" x 4.50" x 3" Rectangle Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Hardware and Mounting Bracket	AMTLFL5	\$ 66.00	
	LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Spotlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793	AMX34207	\$ 59.40	
	LED Blue Boom Light 4.25" x 4.25" Square Light Cree Bulb, Floodlight Beam Polycarbonate Lens and Aluminum Housing 2160 Lumens, 27 Watts, 2.25 Amps For 9 Volt to 32 Volt Systems Includes Stainless Steel Hardware Replaces AKK48793	AMX34206	\$ 94.50	

Lighting

Description		Part Number	Retail Price	Core
Application:	White®: 60 American, 80 American, 100, 120, 125 Workhorse, 140, 145 Workhorse, 170 Workhorse, 195 Workhorse Replaces 30-3534510			
	LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector and Adpater, Plug-and-Play	AMTL9020	\$ 114.00	
	LED Headlight Hood and Cab Mount 6.75" x 4.25" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Includes Connector, Plug-and-Play	AMRE46298	\$ 102.00	

White®\Oliver®\M&M®—Tractor






Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.




White®\Oliver®\M&M®—Tractor

Lighting (...continued)

Description	Part Number	Retail Price	Core
Application: Universal Equipment			
 <p>LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps</p>	AMX34146	\$ 85.00	
Application: 8510, 8610, 8710, 8810			
 <p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AMTL6040	\$ 133.00	
<p>LED Floodlight/Spotlight Combo Hood Mount 6" x 4" Rectangle Light Dual Hi/Lo Beam 3500 Lumens, 60 Watts, 5 Amps For 12 Volt to 24 Volt Systems Uses Original Mount and Wiring Includes Connector and Stainless Steel Hardware</p>	AM72514546	\$ 119.00	
Application: Universal Equipment			
 <p>LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems</p>	AMTL100S	\$ 50.00	
 <p>LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL118S	\$ 57.00	
 <p>LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL500S	\$ 135.00	

White®\Oliver®\M&M®—Tractor

Lighting (...continued)

Description		Part Number	Retail Price	Core
  	Application: M&M®: A4T-1400, A4T-1600, G750, G850, G900, G950, G1000, G1050, G1350, G1355, M670, M670 Super, U-302 (Replaces 30-3068242, 10A20255, 10A20258), Oliver®: 770, 880, 1550, 1555, 1600, 1650, 1655, 1750, 1755, 1800, 1855, 1865, 1900, 1950, 1955, 2050, 2150, 2655, White®: 2-70, 2-85, 2-105, 2-135, 2-150, 2-155, 2-180, 4-150, 4-175, 4-210, 4-225, 4-270 (Replaces 30-3068242, 105340AS, 105341AS, 164089AS, 164108AS)			
	LED Trapezoid Light Fender Mount 4.50" Sealed Beam Round Light 2800 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Rear Stud Mount w/ Built-In Heat Sink Includes Both Long and Short Rubber Bezels	AMTL2060	\$ 115.00	
	LED Floodlight Hood, Front and Rear Fender Mount 5" Diameter Round Light 2800 Lumens, 40 Watts, 3.30 Amps Trapezoid Pattern 1/2" rear stud mount w/ built-in heat sink for cooling, a brighter light and longer life, Includes both long and short rubber bezels, For use w/ stud mounted front fender lights	AMAR85859	\$ 103.00	
	Headlight Sealed Beam, 12 Volt, 2-Wire	AMRE25126	\$ 55.00	

White®\Oliver®\M&M®—Tractor










Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
				
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

White®\Oliver®\M&M®—Tractor

Lighting (...continued)










Description	Part Number	Retail Price	Core
Application: White®: 100, 120, 140, 160, 185, 2-105, 2-110, 2-115, 2-135, 2-150, 2-155, 2-180			
 <p>LED Tail Light Oval Light, Red Lens 9 Watts, 0.75 Amp For 12 Volt to 24 Volt Systems Replaces RE39223</p>	AMAR78825	\$ 46.00	
Application: Universal Equipment			
 <p>LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL10SRC	\$ 145.00	
 <p>LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware</p>	AMTLB410C	\$ 169.00	
 <p>LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware</p>	AMTL30SRC	\$ 259.00	
 <p>LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs</p>	AMLED30	\$ 130.00	
 <p>LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware</p>	AMTL40SRC	\$ 337.00	
 <p>LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs</p>	AMLED40	\$ 160.00	
 <p>LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691</p>	AMTLB440C	\$ 328.00	
 <p>LED Magnetic Work Light All-Position Light 3.25" Square Floodlight 900 Lumens 3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern Magnetic Base Includes Lithium Ion Battery, Cigarette Lighter and DC Charger</p>	AMTL2460	\$ 89.00	

Lighting

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight All-Position Light 4.25" x 4.25" Square Light 2650 Lumens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL105F	\$ 85.50	
	LED Floodlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118F	\$ 57.00	
	LED Floodlight All-Position Light 5" Round Light 3200 Lumens, 40 Watts, 3.30 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL180	\$ 102.00	
	LED Floodlight All-Position Light Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500F	\$ 135.00	
	LED Floodlight All-Position Light 4.30" Round Light 5040 Lumens, 50 Watts, 4.10 Amps For 12 Volt to 24 Volt Systems Includes Stainless Steel Adjustable Mounting Bracket	AMAT305931	\$ 121.00	
	LED Floodlight All-Position Light 4.25" Round Light 2650 Lumens, 42 Watts, 3.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL115F	\$ 66.00	
	LED Wide Floodlight All-Position Light 5" x 7" Rectangle Light 3800 Lumens, 35 Watts For 12 Volt to 24 Volt Systems	AMX34171	\$ 85.00	
	LED Floodlight, Sealed Beam Fender Mount 4.50" Diameter Round Light 1250 Lumens, 18 Watts, 1.50 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems	AMTL3010	\$ 50.00	
	LED Floodlight Fender Mount 4.50" Diameter Sealed Beam Round Light 1250 Lumens, 18 Watts, 1.20 Amps Trapezoid Pattern For 12 Volt to 24 Volt Systems Lasts 50 times longer than halogen lighting, vibration resistant w/ no filament failures, uses original mount and wiring, Operating temperature of -40°F to 140°F / -40°C to 60°C	AMRE336111	\$ 45.00	

White®\Oliver®\M&M®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	LED Floodlight Cab and Fender Mount 6" x 3.50" Rectangle Light 3600 Lumens, 40 Watts, 3 Amps	AMX34146	\$ 85.00	
	LED Spotlight All-Position Light 4.25" x 4.25" Square Light 1400 Lumens, 27 Watts, 2.20 Amps For 12 Volt to 24 Volt Systems	AMTL100S	\$ 50.00	
	LED Spotlight All-Position Light 6.25" x 1.75" Rectangle Light 1300 Lumens, 18 Watts, 1.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL118S	\$ 57.00	
	LED Spotlight All-Position Light 4.25" x 4.50" Round Light 6900 Lumens, 50 Watts, 4.10 Amps For 9 Volt to 32 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL500S	\$ 135.00	
	LED Magnetic Warning Light All-Position Light 360° Flashing Light, Multiple Patterns 14" x 6.75" Rectangle Light Magnetic Base or Solid Mount For 12 Volt to 24 Volt Systems Includes Cigarette Lighter Adapter, Wiring and Switch	AMTL1200	\$ 215.00	
	Warning Beacon 360° Flashing Beacon, Amber Lens For 0.9435" Diameter Pipe Replaces 84337818, AZ44705, AZ101891	AM82018390	\$ 73.70	
	LED Warning Beacon 360° Flashing Beacon 2.75" x 5.25" Light Polycarbonate Amber Lens and Housing For 12 Volt to 24 Volt Systems Includes Solid Mounting Pad and Stainless Steel Hardware	AMTL2100	\$ 34.00	
	LED Warning Beacon 360° Flashing Beacon 5" x 10" Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMTL2000-1	\$ 98.00	
	LED Warning Beacon 360° Flashing Beacon, 3 Different Patterns 5" x 10" Light Amber Lens, 48 Watts, 4 Amps For 12 Volt to 24 Volt Systems Brackets Sold Separately	AMX33131	\$ 85.00	

Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

White®\Oliver®\M&M®—Combine


Lighting (...continued)

Description		Part Number	Retail Price	Core
Application: Universal Equipment				
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33132	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33133	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33137	\$ 17.00	
	Warning Beacon Bracket Use w/ AMX33131 LED Warning Beacon, TL2000	AMX33135	\$ 17.00	
	LED Light Bar Flood/Spotlight Combo 10" Long, 5700 Lumens, 50 Watts, 4.20 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL10SRC	\$ 145.00	
	LED Light Bar Floodlight/Spotlight Combo 14" Long, 5400 Lumens, 72 Watts, 6 Amps Die Cast Aluminum Housing, Polycarbonate Lens For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Heavy Duty Stainless Steel Hardware	AMTLB410C	\$ 169.00	
	LED Light Bar Floodlight/Spotlight Combo 30" Long, 13600 Lumens, 150 Watts, 12.50 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware	AMTL30SRC	\$ 259.00	
	LED Light Bar 30" Long, 13860 Lumens, Cree Bulbs	AMLED30	\$ 130.00	
	LED Light Bar Floodlight/Spotlight Combo 40" Long, 17300 Lumens, 200 Watts, 16.70 Amps For 12 Volt to 24 Volt Systems Includes Mounting Brackets and Stainless Steel Hardware	AMTL40SRC	\$ 337.00	
	LED Light Bar 40" Long, 18200 Lumens, Cree Bulbs	AMLED40	\$ 160.00	
	LED Light Bar Floodlight/Spotlight Combo 42" Long, 14500 Lumens, 240 Watts, 19 Amps For 12 Volt to 24 Volt Systems Includes Mounting Bracket and Stainless Steel Hardware Replaces 1163691	AMTLB440C	\$ 328.00	


Prices Subject to Change without Prior Notice. The use of original equipment manufacturer (OEM) part numbers or trademarks, e.g. Case® and John Deere®, are for reference purposes only and for indicating product use and compatibility. Our company and the listed replacement parts contained herein are not sponsored, approved or manufactured by the OEM. All parts are New unless designated Reman in the description.

White®\Oliver®\M&M®—Combine

Lighting (...continued)

Description		Part Number	Retail Price	Core
Application:	Universal Equipment			
	LED Magnetic Work Light	AMTL2460	\$ 89.00	
	All-Position Light			
	3.25" Square Floodlight			
	900 Lumens			
	3 Modes: 30% Intensity, 100% Intensity and S.O.S. Pattern			
Magnetic Base				
Includes Lithium Ion Battery, Cigarette Lighter and DC Charger				

Air Conditioning Parts and Components



**Blower Motors • Compressors • Condensers
Evaporators • Expansion Valves • Receiver Driers**

LEDs Light Up Your World

LEDs are extremely energy efficient & more durable than traditional incandescent light bulbs. Other benefits include a much longer lifespan, reduced maintenance costs and higher safety.



**LED kits and single replacement lights available for tractors, combines,
harvesters, balers, loaders, skid steers, telehandlers and more.**



Ag Replacement Parts

Honest. Personal. Service.

Engine Overhaul Kits and Parts

To succeed, farms depend on their equipment's ability to perform day-in, day-out. Make sure your engine is up to the task. Whether you need to make a quick repair or want to fine-tune your entire engine, we can help with our extensive inventory of high-quality overhaul kits and engine parts.

Multiple Options

We offer a wide variety of overhaul kits to fit any need. Our kits cover diesel and gas machines and are built to fit most makes, including John Deere®, Case IH®, International®, Ford®, New Holland®, Allis Chalmers® and more. We offer remanufactured shortblocks and longblocks. We also carry inframe and complete remanufactured engines, as well as used engines to fit any need and budget.

Components

Our high-quality component parts are thoroughly tested and competitively priced. Kits range from basic to comprehensive and may include:

- Cylinder kits
- Piston pin bushings
- Rod bearings
- Main bearings
- Camshaft bushings
- Camshaft plug
- Front and rear crankshaft seals
- Gasket set with seals
- Connecting rod bolts

One-Year Warranty

Abilene Machine offers a standard one-year warranty on new, used and remanufactured parts for peace of mind.

Abilene Machine is a family-owned and operated company that's been serving farmers for over 40 years. With an inventory of more than 40,000 parts and four locations across the United States, we'll make sure you get dependable, durable parts shipped fast.

Abilene, Kansas
Bishopville, South Carolina
Sioux Falls, South Dakota
Billings, Montana

785-670-6741

AbileneMachine.com

All parts are new unless designated remanufactured in the description. Products listed are replacement parts only — not original equipment manufacturers. OEM names and brands are used for identification purposes only.

Engine Solutions





***We are your super supplier of
HIGH-QUALITY Engine Parts!***

New/Used/Reman Engines
Cylinder Heads
Connecting Rods

Turbochargers
Engine Oil Pumps
Bearings and Seal Kits

Cam and Lifter Kits
Crankshafts
AND MANY MORE!



Overhaul Kits | Cylinder Components | Bearings | Gaskets | Camshaft Components | Crankshaft Components | Head Components | Manifolds | Injection Components | Turbos | Oil and Cooling Systems

***Variety
Quality
Availability***

In kits or individual components
to get your machine
back in the field!


ADVANTAGE
ENGINE PARTS®



Ag Replacement Parts

Honest. Personal. Service.



Grammer® Seats

You spend a lot of time in your cab, and having high-quality seating is about more than being comfortable. It's about protecting your back and keeping you going. Whether you need to make a repair or want a plug-and-play replacement, we can help with our extensive inventory of Grammer® seats.

Grammer® seats are the gold standard for cab seats. These extremely durable seats are plug-and-play, so you can easily install them and get back in the field. We offer models with mechanical and air ride suspensions, so you can find a seat that fits you (and your farm equipment) perfectly.

We also offer buddy seats, assemblies and individual components including cushions, suspensions and

additional replacement parts. We have you covered for many makes and models, including John Deere®, Case IH®, International®, New Holland®, Bobcat® and more.

For more than 40 years, Abilene Machine has been helping distributors, dealers and repair shops like yours succeed by providing top-rated parts at great prices — all with exceptional service. See how our family-owned company can help your business grow.

Abilene, Kansas
Bishopville, South Carolina
Sioux Falls, South Dakota
Billings, Montana

785-670-6741
AbileneMachine.com

All parts are new unless designated remanufactured in the description. Products listed are replacement parts only — not original equipment manufacturers. OEM names and brands are used for identification purposes only.



Abilene Machine LLC
P.O. Box 129
Abilene, KS 67410
(785) 670-6741

Honest. Personal. Service.



Abilene Machine LLC
(785) 670-6741



AbileneMachine.com

©2024 Abilene Machine LLC. Abilene Machine® is a registered trademark of Abilene Machine LLC.

 Follow Abilene Machine
on Facebook

November 2024